



OFFER 2024 / 25

**Prosperplast®**

## index

Bloomie Stand, Tol Stand	p. 1,2
Showy Hanger, Lexo Style	p. 2
Tubus Corten	p. 3
Beton Effect Collection	p. 4-9
ECO Wood Collection	p. 10-15
Mate, Lamia	p. 16
Tubo	p. 17
Gracia	p. 17-18
Furu	p. 19 - 21
Milly	p. 21
Ryfo	p. 22
Texture & Woven	p. 22 - 23
Rato	p. 24 - 25
Ratolla	p. 26 - 27
Boardee	p. 28
Lofly	p. 29 - 30
Cascade Garden	p. 31
Bloma	p. 31
Respana	p. 32
Urbi & Tubus	p. 33 - 34
Lace	p. 35
Coubi Orchid	p. 35 - 36
Coubi	p. 37
Herbal	p. 38
Crown	p. 39
Traditional Pots	p. 39 - 43
Milly	p. 44 - 46
Furu	p. 47
Origina	p. 47
Heos	p. 47 - 49
Maze	p. 50
Massive	p. 51-53
Platforms	p. 54
Self-watering system	p. 55 - 56
Respana Greenhouse	p. 57 - 59
Garden Hand Tools	p. 60 - 61
Respana Garden Sieve	p. 61
Tomato & Potato Grower	p. 62 - 63
Floo Supports	p. 64 - 67
Floo Tunnels	p. 68
Combioliq, Combiosoil	p. 68 - 69
Watering Cans	p. 69 - 71
ARVES, WATERFORM	p. 72 - 99
Garden Cellar	p. 101
Gardenig Tools	p. 102 - 104
Cushion Boxe	p. 105
Lottie	p. 106
Uniqubo	p. 107
Clubo & Zanzi, Zoe	p. 108 - 109
Umbrella Base	p. 109
Palisade & Ground Grids	p. 110 - 114
Composter	p. 115 - 120
Basket	p. 120
Bird Fedeers	p. 121
Hanger Index	p. 122

## color palette

 S449	biały white	 2088U	lawenda lavender	 S411	czarny black
 CY700	kremowy cream touch	 5245U	jagodowy jasny light berry	 B411	czarny beton black concrete
 7535C	beż senza	 3005U	ślądkitny light blue	 446U	węgiel carbon
 CY728	krem cream	 5415C	niebieski skandynawski scandinavian blue	 S433	antracytowy anthracite
 7501U	słomkowy straw yellow	 309U	głębia oceanu ocean blue	 S442	grafitowy graphite
 7502U	kawa z mlekiem milk coffee	 656U	lodowy szary ice gray	 7015	jasny bazalt light basalt
 7529U	mocca mocca	 2260C	szalwiowy sage green	 433C	bazalt basalt
 R736	cegła brick	 623U	szalwia sage	 419U	ciemny szary dark gray
 R624	terakota terracotta	 5615C	earth green ziemisty zielony	 426U	grafit graphite
 7598U	miedziany copper	 2411U	zielona pinia pine green	 405U	szary kamienny stone gray
 3517U	czerwony retro retro red	 4193C	włoska zieleń verde	 425U	marengo marengo
 7600C	palona cegła burnt brick	 370U	oliwka olive	 422U	beton concrete
 7601U	stal kortenowa corten steel	 389U	limonka lime	 7037	stalowy steel
 R222	brąz brown	 G800	grozkowy green pea	 431UG	grys granitowy granite grit
 8011	ciemny brąz dark brown	 G642	zielony green	 7541U	granit granite
 440U	umbra umber	 361C	zieleń wiosenna green spring	 B68M	srebrny silver
 117U	musztardowy mustard	 G851	zielony leśny forest green	 4C	chłodny szary cool gray
 116C	żółty wiosenny spring yellow	 S429	przezroczysty transparent	 429U	smooth gray smooth gray
 R585	pomarańczowy orange	 7587U	rustykalna cegła rustic brick	 443U	jasny szary light gray
 1788C	koral coral	 4985U	marsala marsala	 S443	szary gray
 235C	fuchsja fuchsia				

## eco colours

 S449W	biały ECO ECO white
 7501W	słomkowy ECO ECO straw yellow
 4665W	natura ECO ECO nature
 2262W	zielony ECO ECO green
 4625W	kawa ECO ECO coffee
 S433W	antracytowy ECO ECO anthracite



## transparent colours

 CPNO	przezroczysty transparent
 CPY2	zielony green
 CPR9	różowy pink
 CPRB	fioletowy violet
 CS99S	przezroczysty transparent
 CR95S	różowy pink
 CG55S	zielony green
 CR91S	fioletowy violet

## translucent colours

 CS99G	przezroczysty transparent
 CG55G	zielony green
 CR95G	różowy pink
 CR91G	fioletowy violet

**Bloomie Stand**



	mm	mm	mm	pcs	pcs	pcs	

IKD3L	540	490	805	3 x 4,0	-	1	40
-------	-----	-----	-----	---------	---	---	----

The technological process may affect the colour of the product.



S449

422U

1 size

**Bloomie Stand**



	mm	mm	mm	pcs	pcs	pcs	

IKD3H	420	395	1250	3 x 4,0	-	1	40
-------	-----	-----	------	---------	---	---	----

The technological process may affect the colour of the product.



S449

422U

1 size



**Bloomie Stand**



	mm	mm	mm	pcs	pcs	pcs	

IKD4L	1250	550	815	4 x 4,0	-	1	32
-------	------	-----	-----	---------	---	---	----

The technological process may affect the colour of the product.



S449

422U

1 size

**Bloomie Hanger**



	mm	mm	mm	pcs	pcs	pcs	

IKBH600	270	235	645	4,0	-	1	72
IKBH800	270	235	845	4,0	-	1	54



S449

422U

1 size

**Bloomie Hanger Set**



	mm	mm	mm	pcs	pcs	pcs	

2 pcs	270	235	645	3 x 4,0	-	1	42
1 pc	270	235	845				



SET 3 pcs

S449

422U

1 size



**Tol Stand**

	mm	mm	mm	mm	pcs	pcs	pcs
IKF600	420	405	600	~200	-	1	196
IKF800	500	480	795	~260	-	1	108



S411

2 sizes




**Showy Hanger**

	mm	mm	mm	mm	pcs	pcs
IKSH1S*	306	164	506	~125÷160	5/40	640
IKSH1M**	386	209	656	~180÷220	5/40	360

\*Recommended flowerpot size 125-160 mm, depending on design.  
 \*\*Recommended flowerpot size 180-220 mm, depending on design.

2 sizes



**Showy Hanger**

	mm	mm	mm	mm	pcs	pcs
IKSH2S*	297	209	256	~125÷160	5/40	1440
IKSH2M**	377	276	325	~180÷220	5/40	720

\*Recommended flowerpot size 125-160 mm, depending on design.  
 \*\*Recommended flowerpot size 180-220 mm, depending on design.

2 sizes



**Showy Hanger**

	mm	mm	mm	mm	pcs	pcs
IKSH3S*	226	170	306	~125÷160	5/40	1200
IKSH3M**	386	215	406	~180÷220	5/40	640

\*Recommended flowerpot size 125-160 mm, depending on design.  
 \*\*Recommended flowerpot size 180-220 mm, depending on design.

2 sizes

**Lexo Round**

	mm	mm	mm	pcs	pcs	pcs
DLR600	600	550	92	1	-	20
DLR800	800	740	212	1	-	7
DLR1000	1000	915	430	1	-	5/max

S449

405U

S433








3 sizes



Lexo  
Big size  
planter



### Tubus Slim Corten


		 mm	 mm		 pcs	 pcs	 pcs
DTUS150C		150	286	2,0/3,3	5	30	540
DTUS200C		200	381	4,0/8,0	5	-	360
DTUS250C		250	476	7,5/15,5	5	-	150
DTUS300C		300	572	15,0/27,0	5	-	110
DTUS400C		400	762	35,0/64,0	5	-	60

7601U

optional equipment



### System








 pcs
-
WR1
WR2
WR3
WR6

watering system  
p. 56

5 sizes



### Tubus Corten

		 mm	 mm		 pcs	 pcs	 pcs
DTUB200C		200	187	3,5	10	-	2400
DTUB250C		250	233	7,0	10	-	1200
DTUB300C		300	280	12,0	10	-	720
DTUB400C		400	373	28,5	10	-	300

7601U

4 sizes

corten effect collection



new


**Mate Beton Effect**



	mm	mm	mm	pcs	pcs	pcs
DMMA120E	119	109	0,86	10	150	3000
DMMA140E	138	127	1,37	10	110	1760
DMMA160E	158	145	2,0	5	75	1350
DMMA180E	178	164	3,0	5	40	840
DMMA200E	198	182	4,1	5	40	720
DMMA240E	238	215	7,0	5	30	450
DMMA300E	295	266	13,6	-	-	-
DMMA350E	340	312	21,3	5	10	150
DMMA400E	385	354	31,1	-	-	-

422U 425U S433

9 sizes



Compatible with Floor Supports p.64-65

Easy module interconnectivity.

new

**Sierra Square Beton Effect**



	mm	mm	mm	mm	pcs	pcs	pcs
DSI300E	288	288	290	13,1	3	-	48

425U S433 B411

1 sizes

new

**Sierra Square Beton Effect**




	mm	mm	mm	mm	pcs	pcs	pcs
DSI400E	385	385	370	13,5	2	-	24

425U S433 B411

1 sizes




wheel - system  
3 supporting wheels  
inside roller system



new

**Sierra Case Beton Effect**




	mm	mm	mm	mm	pcs	pcs	pcs
DSI600E	577	288	290	26,2	3	-	24

425U S433 B411

1 sizes

new

**Sierra Case Beton Effect**



	mm	mm	mm	mm	pcs	pcs	pcs
DSI800E	770	385	370	63,0	2	-	12







425U S433 B411

1 sizes





### Beton Bowl

	 mm	 mm		 pcs	 pcs	 pcs
DKB150	144	110	0,75	5	55	660
DKB180	180	136	1,4	5	30	300
DKB240	238	161	2,3	5	10	170
DKB290	290	195	3,9	4	8	96
DKB370	370	218	9,0	2	-	48






422U

B411

6 sizes



### Metal Hanger







	 mm	 mm	 mm	 pcs	 pcs	 pcs
IWS	90	130	7	10	300	1920

H=1,1 m

Total height ~ 1,1 m 1 size



### Tubo Beton Effect

	 mm	 mm		 pcs	 pcs	 pcs
DPOS110E	108	95	0,7	10	90	2160
DPOS130E	128	113	1,2	10	90	1980
DPOS150E	148	130	1,8	10	90	1080
DPOS180E	178	157	3,2	10	40	720
DPOS200E	199	177	4,6	10	60	720
DPOS240E	239	210	8,0	5	-	450
DPOS300E	292	257	14,5	5	-	275
DPOS350E	338	297	22,5	5	-	120
DPOS400E	390	342	35,0	5	-	120







422U

S433

9 sizes



### Tubo P Beton Effect

	 mm	 mm		 pcs	 pcs	 pcs
DPOP110E	108	109	0,7	10	90	2160
DPOP130E	128	128	1,2	10	90	1980
DPOP150E	148	147	1,8	10	90	1080
DPOP180E	178	175	3,2	10	40	720
DPOP200E	199	196	4,6	10	60	720
DPOP240E	239	231	8,0	5	-	450
DPOP300E	292	283	14,5	5	-	275
DPOP350E	338	326	22,5	5	-	120
DPOP400E	390	375	35,0	5	-	120

saucer included

CY700

R624

422U

425U

S433

9 sizes

beton effect collection

The technological process may affect the colour of all the products of Beton Effect Collection.





### Tubus Beton Effect

	∅ mm	↑ mm	↓ mm	📦 pcs	📦 pcs	📦 pcs
DTUB200E	200	187	3,5	10	-	1920
DTUB250E	250	233	7,0	10	-	1080
DTUB300E	300	280	12,0	10	-	720
DTUB400E	400	373	28,5	10	-	300

422U 425U S433

4 sizes



### Tubus Slim Beton Effect

	∅ mm	↑ mm	↓ mm	📦 pcs	📦 pcs	📦 pcs
DTUS150E	150	286	2,0/3,3	5	30	540
DTUS200E	200	381	4,0/8,0	5	-	360
DTUS250E	250	476	7,5/15,5	5	-	150
DTUS300E	300	572	15,0/27,0	5	-	110
DTUS400E	400	762	35,0/64,0	5	-	60

422U S433

optional equipment

**System**

pcs

-

WR1  
WR2  
WR3  
WR6

watering system  
p. 56

5 sizes



### Tubus Case Beton Effect

	← mm	↗ mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
DTUC400E	400	216	200	12,0	10	600
DTUC600E	600	324	300	38,6	5	160

stabilisator spacer included

422U S433

2 sizes



### Cube Beton Effect

	∅ mm	↑ mm	↓ mm	📦 pcs	📦 pcs	📦 pcs
DCUB110E	110	97	0,6	10	240	4320
DCUB140E	140	124	1,2	10	50	1200
DCUB170E	170	150	2,2	10	60	840
DCUB200E	200	177	3,5	10	40	720
DCUB250E	250	221	7,0	5	-	420
DCUB300E	300	266	12,0	5	-	275
DCUB400E	400	354	29,0	5	-	90

422U S433

7 sizes





### Urbi Square Low Beton Effect

	mm	mm	mm	EU	pcs	pcs	pcs
DURS240LE	240	240	235	7,5/10,0	5	-	255
DURS300LE	295	295	290	14,0/19,0	5	-	100

The technological process may affect the colour of the product.  
100% made of recycled material.

optional equipment



System



WS1  
WS3

watering system p. 56

- CY700
  - R624
  - 422U
  - 425U
  - S433
- 2 sizes



### Urbi Square Beton Effect

	mm	mm	mm	EU	pcs	pcs	pcs
DURS125E*	126	126	200	- / 2,0	10	90	1620
DURS140E	140	140	265	2,0/4,0	5	20	400
DURS170E	170	170	325	3,0/7,2	5	-	280
DURS200E	195	195	375	5,0/11,4	5	-	240
DURS225E	220	220	420	8,0/16,3	5	-	150
DURS240E	238	238	449	7,5/19,0	5	-	150
DURS265E	265	265	500	11,0/26,6	5	-	120
DURS300E	292	292	550	14,0/35,0	3	-	120
DURS325E	325	325	610	21,0/49,0	3	-	42
DURS400E	400	400	750	37,0/91,5	3	-	36

\*the smallest size comes without insert

Hole for drain plug



DURS240E, DURS265E,  
DURS300E, DURS325E,  
DURS400E


- 422U
  - 425U
  - S433
- 10 sizes

Prosperplast®

optional equipment



System



WS1  
WS1  
WS1  
WS2  
WS3  
WS4  
WS6

watering system p. 56

### Urbi Round Beton Effect

	mm	mm	mm	EU	pcs	pcs	pcs
DURO250E	250	250	7,5 / 9,0	7,5 / 9,0	5	-	210
DURO300E	300	295	15,0/17,0	15,0/17,0	5	-	165

The technological process may affect the colour of the product.  
100% made of recycled material.

- CY700
  - R624
  - 422U
  - 425U
  - S433
- 2 sizes

optional equipment



System



WR2  
WR3

watering system p. 56

### Urbi Case Beton Effect

	mm	mm	mm	EU	pcs	pcs	pcs
DUC400E	395	185	195	8/12	5	15	150
DUC600E	580	180	195	12/18	5	10	100
DUC800E	770	235	246	27/40	3	-	51

Hole for drain plug



- CY700
  - R624
  - 422U
  - 425U
  - S433
- 3 sizes

### Urbi Case Beton Effect W

	mm	mm	mm	EU	pcs	pcs	pcs
DUC400EW	395	185	195	8/12	5	15	150
DUC600EW	580	180	195	12/18	5	10	100

Hole for drain plug



- CY700
  - R624
  - 422U
  - 425U
  - S433
- 2 sizes



## beton effect collection

The technological process may affect the colour of all the products of Beton Effect Collection.





### Urbi Case Beton Effect M

	mm	mm	mm	pcs	pcs	pcs
DUC800ME**	770	235	406	27/72	3	33

\*\* 2 stabilizers included



- CY700
- R624
- 422U
- 425U
- S433

1 size



### Urbi Case Beton Effect T

	mm	mm	mm	pcs	pcs	pcs
DUC600TE*	580	180	498	12/44	3	54
DUC800TE**	770	235	687	27/100	2	20



\* 1 stabilizer included  
\*\* 2 stabilizers included

- CY700
- R624
- 422U
- 425U
- S433

2 sizes



### Urbi Case Beton Effect N

	mm	mm	mm	pcs	pcs	pcs
DUC800NE	770	235	300	27/40	3	51



- 422U
- 425U
- S433

1 size



### Gracia Square Beton Effect

	mm	mm	mm	pcs	pcs	pcs
DGQL240E	240	240	187	6	5	30
DGQL300E	290	290	220	11	5	-
DGQL400E	390	390	270	25	5	-

- CY700
- 422U
- S433

3 sizes



### Gracia Case Beton Effect

	mm	mm	mm	pcs	pcs	pcs
DGCL400E	390	195	187	8,5	5	30
DGCL600E	580	240	235	19,5	5	-

- CY700
- 422U
- S433

2 sizes





**Gracia Low Beton Effect**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs
DGRL240LE	235	155	3,80	5	- 525
DGRL300LE	285	177	6,80	5	- 330
DGRL400LE	380	207	14,30	5	- 210

The technological process may affect the colour of the product.  
100% made of recycled material.

CY700 422U S433

3 sizes



**Gracia Beton Effect**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs
DGRL200E	200	174	3,0	10	40 720
DGRL240E	238	187	5,10	5	- 525
DGRL300E	290	220	9,80	5	- 330
DGRL350E	339	240	13,80	5	- 210
DGRL400E	390	270	21,50	5	- 210

The technological process may affect the colour of the product.  
100% made of recycled material.

CY700 422U S433

5 sizes



**Gracia Tubus Beton Effect**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs
DGTL300LE	298	285	14	5	- 330

The technological process may affect the colour of the product.  
100% made of recycled material.

CY700 422U S433

1 size



**Gracia Tubus Slim Beton Effect**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs
DGTL200E	195	365	7,5	4	24 288
DGTL240E	239	445	14,5	5	10 160

The technological process may affect the colour of the product.  
100% made of recycled material.

CY700 R624 422U 425U S433

2 sizes



beton effect collection

The technological process may affect the colour of all the products of Beton Effect Collection.



new

**Madera Square ECO Wood**



new

**Madera Square ECO Wood**



DMA300W	288	288	290	13,1	3	-	48
---------	-----	-----	-----	------	---	---	----




DMA400W	385	385	370	31,5	2	-	24
---------	-----	-----	-----	------	---	---	----



1 sizes



1 sizes



wheel - system  
3 supporting wheels  
inside roller system



new

**Madera Case ECO Wood**



new

**Madera Case ECO Wood**



DMA600W	577	288	290	26,2	3	-	24
---------	-----	-----	-----	------	---	---	----



DMA800W	770	385	370	63,0	2	-	12
---------	-----	-----	-----	------	---	---	----



1 sizes



1 sizes



Compatible  
with Floo Supports  
p.64-65



### Heos ECO Wood



optional equipment



System



WR3  
WR5  
WR7  
WR8



watering system p.56

4 sizes

	mm	mm		pcs	pcs	pcs
DBHEM300W	298	230	8/18	2	-	110
DBHEM400W	395	302	18/25	2	-	48
DBHEM470W	469	360	31/47	2	-	18
DBHEM570W	569	435	56/84	1	2	12



### Heos ECO Wood



optional equipment



System



WR3  
WR4



watering system p.56

2 sizes

	mm	mm		pcs	pcs	pcs
DBHEK400W	370	230	8/18	-	4	36
DBHEK440W	436	270	11/32	3	12	24



new

### Lamia Round ECO Wood



flat grooves

	mm	mm		pcs	pcs	pcs
DLAM120W	119	99	0,8	-	-	-
DLAM140W	138	115	1,3	-	-	-
DLAM160W	158	132	1,9	-	-	-
DLAM180W	178	149	2,8	-	-	-
DLAM200W	198	172	3,9	-	-	-
DLAM240W	238	205	6,8	-	-	-
DLAM300W	295	246	12,8	-	-	-
DLAM350W	340	284	19,7	-	-	-
DLAM400W	385	325	29	-	-	-



9 sizes

### Milly Round ECO Wood



grooves

	mm	mm		pcs	pcs	pcs
DMI110W	109	95	0,7	10	90	2880
DMI130W	129	114	1,2	10	90	2160
DMI150W	146	129	1,7	10	90	1440
DMI170W	169	149	2,7	10	70	840
DMI200W	196	173	4,0	10	60	720
DMI240W	236	208	7,0	5	20	340
DMI300W	292	258	13,5	5	-	385
DMI350W	342	302	21,5	5	-	180
DMI400W	390	345	32,0	3	-	108



9 sizes

### Tubo ECO Wood



	mm	mm		pcs	pcs	pcs
DPOS110W	108	95	0,7	10	90	2160
DPOS130W	128	112	1,2	10	90	1980
DPOS150W	147	130	1,8	10	90	1080
DPOS180W	178	156	3,2	10	40	720
DPOS200W	198	177	4,6	10	60	720
DPOS240W	239	210	8,0	5	-	450
DPOS300W	292	256	14,5	5	-	275
DPOS350W	338	296	22,5	5	-	120
DPOS400W	390	342	35,0	5	-	120

The technological process may affect the colour of the product.



9 sizes

### Tubo P ECO Wood



	mm	mm		pcs	pcs	pcs
DPOP110W	108	108	0,7	10	90	2160
DPOP130W	128	127	1,2	10	90	1980
DPOP150W	147	146	1,8	10	90	1080
DPOP180W	178	174	3,2	10	40	720
DPOP200W	198	196	4,6	10	60	720
DPOP240W	239	231	8,0	5	-	450
DPOP300W	292	282	14,5	5	-	275
DPOP350W	338	326	22,5	5	-	120
DPOP400W	390	375	35,0	5	-	120

saucer included

The technological process may affect the colour of the product.



9 sizes

ECO wood collection  
Up to 33% of natural wood





### Sandy Round ECO Wood

	mm	mm	pcs	pcs	pcs	
DSR130W	128	111	0,9	10	90	2160
DSR160W	158	138	1,7	10	80	960
DSR190W	189	165	3,0	10	60	720
DSR220W	225	192	5,0	10	-	720
DSR260W	262	222	7,9	5	-	455

The technological process may affect the colour of the product.



5 sizes



### Splofy ECO Wood

	mm	mm	pcs	pcs	pcs	
DSP130W	130	108	0,9	5	135	2430
DSP160W	157	132	1,7	5	75	1350
DSP190W	187	158	3,0	5	60	1080
DSP220W	218	184	5,0	5	-	720
DSP260W	259	220	8,0	5	-	520

The technological process may affect the colour of the product.



5 sizes



### Ryfo ECO Wood

	mm	mm	pcs	pcs	pcs	
DRF110W	107	91	0,6	10	90	2880
DRF130W	126	108	1,0	10	90	2160
DRF150W	146	126	1,6	10	60	1320
DRF170W	168	147	2,5	10	50	900
DRF200W	195	170	4,0	10	60	720

The technological process may affect the colour of the product.



5 sizes



### Ryfo N ECO Wood

	mm	mm	pcs	pcs	pcs	
DRF110NW	107	105	0,6	10	100	2400
DRF130NW	126	125	1,0	10	90	1980
DRF150NW	145	145	1,6	10	60	1080
DRF170NW	168	170	2,5	10	50	900
DRF200NW	195	194	4,0	10	60	720

The technological process may affect the colour of the product.




5 sizes



### Urbi Square ECO Wood

	mm	mm	mm	pcs	pcs	pcs	
DURS200W	195	195	375	5,0/11,4	5	-	240
DURS240W	240	240	449	7,5/19,0	5	-	150
DURS300W	295	295	550	14/35	3	-	54

The technological process may affect the colour of the product.



3 sizes

optional equipment



System



WS1  
WS3



watering system p. 56



### Rato Square ECO Wood

	mm	mm	mm	pcs	pcs	pcs	
DRTS200W	200	200	376	5,0/11,4	5	-	240
DRTS240W	240	240	450	7,5/19,0	5	-	150
DRTS300W	290	290	550	14,0/35,0	3	-	54

The technological process may affect the colour of the product.



3 sizes

optional equipment



System



WS1  
WS3



watering system p. 56



### Furu Square Low ECO Wood



	mm	mm	mm	EU	pcs	pcs	pcs
DFS240W	240	240	235	7,5/10,0	5	-	225
DFS300W	295	295	290	14,0/19,0	5	-	100

The technological process may affect the colour of the product.

Hole for drain plug



S449W

4665W

4625W



optional equipment



System



WS1

WS3



watering system p. 56

2 sizes

### Furu Square ECO Wood



	mm	mm	mm	EU	pcs	pcs	pcs
DFSH200W	200	200	380	5,0/11,4	5	-	300
DFSH240W	240	240	450	7,5/19,0	5	-	150
DFSH265W	265	265	500	11,0/26,6	5	-	120
DFSH300W	295	295	550	14,0/35,0	3	-	60
DFSH350W	345	345	660	24,0/60,0	3	-	42
DFSH400W	395	395	755	37,0/91,5	3	-	36

The technological process may affect the colour of the product.

Hole for drain plug



S449W

4665W

4625W



optional equipment



System



-

WS1

WS2

WS3

-

WS6



watering system p. 56

6 sizes

### Furu Round Eco Wood



	mm	mm	mm	EU	pcs	pcs	pcs
DFR250W	250	247	7,5/9,0	5	-	210	
DFR300W	300	294	15,0/17,0	5	-	165	

The technological process may affect the colour of the product.

Hole for drain plug



S449W

4665W

4625W



optional equipment



System



WR2

WR3



watering system p. 56

2 sizes

### Furu Slim ECO Wood



	mm	mm	mm	EU	pcs	pcs	pcs
DFRH250W	250	480	7,5/15,5	5	-	150	
DFRH300W	300	575	15,0/27,0	5	-	110	

The technological process may affect the colour of the product.

Hole for drain plug



S449W

4665W

4625W



optional equipment



System



WR2

WR3



watering system p. 56

2 sizes

### Furu ECO Wood



	mm	mm	mm	EU	pcs	pcs	pcs
DFUR240W	236	195	5,0	5	15	225	
DFUR300W	290	240	9,5	3	12	120	
DFUR400W	395	320	26,0	4	8	48	

4665W

3 sizes





### Gracia Square ECO Wood

	mm	mm	mm		pcs	pcs	pcs
DGQL240W	240	240	187	6	5	30	450
DGQL300W	290	290	220	11	5	-	240
DGQL400W	390	390	270	25	5	-	180



3 sizes



### Gracia Case ECO Wood

	mm	mm	mm		pcs	pcs	pcs
DGCL400W	390	195	187	8,5	5	30	360
DGCL600W	580	240	235	19,5	5	-	210

The technological process may affect the colour of the product.



2 sizes



### Gracia Low ECO Wood

	mm	mm		pcs	pcs	pcs
DGRL240LW	235	155	3,80	5	-	525
DGRL300LW	285	177	6,80	5	-	330
DGRL400LW	380	207	14,30	5	-	210

The technological process may affect the colour of the product.



3 sizes



### Gracia ECO Wood

	mm	mm		pcs	pcs	pcs
DGRL200W	200	174	3,0	10	40	720
DGRL240W	238	187	5,10	5	-	525
DGRL300W	290	220	9,80	5	-	330
DGRL350W	339	240	13,80	5	-	210
DGRL400W	390	270	21,50	5	-	210

The technological process may affect the colour of the product.



5 sizes



### Gracia Tubus ECO Wood

	mm	mm		pcs	pcs	pcs
DGTL300LW	298	285	14	5	-	330

The technological process may affect the colour of the product.



1 size



### Gracia Tubus Slim ECO Wood

	mm	mm		pcs	pcs	pcs
DGTL200W	195	365	7,5	4	24	288
DGTL240W	239	445	14,5	5	10	160

The technological process may affect the colour of the product.



2 sizes







### Tubus ECO Wood

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
DTUB200W	200	187	3,5	10	- 2400
DTUB250W	250	233	7,0	10	- 1200
DTUB300W	300	280	12,0	10	- 720

The technological process may affect the colour of the product.



3 sizes



### Tubus Slim ECO Wood

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
DTUS200W	200	381	4,0/8,0	5	- 360
DTUS250W	250	476	7,5/15,5	5	- 150
DTUS300W	300	572	15,0/27,0	5	- 110


The technological process may affect the colour of the product.



optional  
equipment



### System



watering system  
p. 56

3 sizes



### Zanzi Basket ECO Wood

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
IKPIR380W	374	402	25	3	- 108
IKPIR430W	430	463	40	5	- 60

The technological process may affect the colour of the product.




2 sizes



### Zoe Basket ECO Wood

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
IKPIO370W	364	359	25	5	- 210
IKPIO430W	419	408	40	5	- 100

The technological process may affect the colour of the product.



2 sizes



### Uniqubo ECO Wood

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
IKUB55TW	447	450	55	4	- 32

The technological process may affect the colour of the product.



1 size





new

Mate



	∅ mm	↑ mm	📄 mm	📦 pcs	📦 pcs	📦 pcs
DMMA120	119	109	0,86	10	150	3000
DMMA140	138	127	1,37	10	110	1760
DMMA160	158	145	2,0	5	75	1350
DMMA180	178	164	3,0	5	40	880
DMMA200	198	182	4,1	5	40	720
DMMA240	238	215	7,0	5	30	450
DMMA300	295	266	13,6	5	-	440
DMMA350	340	312	21,3	5	10	150
DMMA400	385	354	31,1	5	-	150

- S449
- 443U
- 2411U
- 4985U
- 7600C
- 446U
- S433

9 sizes

new

Lamia



	∅ mm	↑ mm	📄 mm	📦 pcs	📦 pcs	📦 pcs
DLAM120	119	99	0,8	-	-	-
DLAM140	138	115	1,3	-	-	-
DLAM160	158	132	1,9	-	-	-
DLAM180	178	149	2,8	-	-	-
DLAM200	198	172	3,9	-	-	-
DLAM240	238	205	6,8	-	-	-
DLAM300	295	246	12,8	-	-	-
DLAM350	340	284	19,7	-	-	-
DLAM400	385	325	29	-	-	-

- S449
- 443U
- 2411U
- S433

9 sizes



### Tubo



	∅	↑	↓	📄	📦	📦
	mm	mm	mm	pcs	pcs	pcs
DPOS110	108	95	0,7	10	90	2160
DPOS130	128	113	1,2	10	90	1980
DPOS150	148	130	1,8	10	90	1080
DPOS180	178	157	3,2	10	40	720
DPOS200	199	177	4,6	10	60	720
DPOS240	239	210	8,0	5	-	450
DPOS300	292	257	14,5	5	-	275
DPOS350	338	297	22,5	5	-	120
DPOS400	390	342	35,0	5	-	120
DPOS480	-	-	-	-	-	-
DPOS600	-	-	-	-	-	-

S449 2411U 443U S433

9 sizes

January 2025

### Tubo P



	∅	↑	↓	📄	📦	📦
	mm	mm	mm	pcs	pcs	pcs
DPOP110	108	109	0,7	10	90	2160
DPOP130	128	128	1,2	10	90	1980
DPOP150	148	147	1,8	10	90	1080
DPOP180	178	175	3,2	10	40	720
DPOP200	199	196	4,6	10	60	720
DPOP240	239	231	8,0	5	-	450
DPOP300	292	283	14,5	5	-	275
DPOP350	338	326	22,5	5	-	120
DPOP400	390	375	35,0	5	-	120
DPOP480	-	-	-	-	-	-
DPOP600	-	-	-	-	-	-

S449 2411U 443U 117U  
4985U 419U S433

DPOP480 - - - - -  
DPOP600 - - - - -  
S449 2411U 443U 419U S433

saucer included

9 sizes



### Gracia Square



	↔	↗	↑	📄	📦	📦
	mm	mm	mm	pcs	pcs	pcs
DGQL240	240	240	187	6	5	30
DGQL300	290	290	220	11	5	-
DGQL400	390	390	270	25	5	-

S449 443U 5615C S433

3 sizes

### Gracia Case



	↔	↗	↑	📄	📦	📦
	mm	mm	mm	pcs	pcs	pcs
DGCL400	390	195	187	8,5	5	30
DGCL600	580	240	235	19,5	5	-

S449 443U 5615C S433

2 sizes



### Tubo PM

	∅	↑	↓	📄	📦	📦
	mm	mm	mm	pcs	pcs	pcs
DPOD110	108	109	0,7	10	90	2160
DPOD130	128	128	1,2	10	90	1980
DPOD150	148	147	1,8	10	90	1080
DPOD180	178	175	3,2	10	40	720
DPOD200	199	196	4,6	10	60	720
DPOD240	239	231	8,0	5	-	450
DPOD300	292	283	14,5	5	-	275
DPOD350	338	326	22,5	5	-	120
DPOD400	390	375	35,0	5	-	120







saucer included

S449 2411U S433 with wood

9 sizes



**Gracia Standard Low**







						
	mm	mm	L	pcs	pcs	pcs
DGRS240L	235	110	3,80	5	-	525
DGRS300L	285	132	6,80	5	-	330
DGRS400L	380	150	14,30	5	-	210

- S449
- 443U
- 5615C
- S433

3 sizes



**Gracia Standard**







						
	mm	mm	L	pcs	pcs	pcs
DGRS240	238	142	5,10	5	-	525
DGRS300	290	175	9,80	5	-	330
DGRS350	339	183	13,80	5	-	210
DGRS400	390	212	21,50	5	-	210

- S449
- 443U
- 5615C
- S433

5 sizes



**Gracia Low**







						
	mm	mm	L	pcs	pcs	pcs
DGRL240L	235	155	3,80	5	-	525
DGRL300L	285	177	6,80	5	-	330
DGRL400L	380	207	14,30	5	-	210

- S449
- 443U
- 5615C
- S433

3 sizes



**Gracia**







						
	mm	mm	L	pcs	pcs	pcs
DGRL200	200	174	3,0	10	40	720
DGRL240	238	187	5,10	5	-	525
DGRL300	290	220	9,80	5	-	330
DGRL350	339	240	13,80	5	-	210
DGRL400	390	270	21,50	5	-	210

- S449
- 443U
- 5615C
- S433

5 sizes



**Gracia Tubus**







						
	mm	mm	L	pcs	pcs	pcs
DGTL300L	298	285	14	5	-	330

- S449
- 443U
- 5615C
- S433

1 size



**Gracia Tubus Slim**

						
	mm	mm	L	pcs	pcs	pcs
DGTL200	195	365	7,5	4	24	288
DGTL240	239	445	14,5	5	10	160








- S449
- 443U
- 5615C
- S433

2 sizes



### Furu Round



							
	mm	mm		pcs	pcs	pcs	
DFR250	250	247	7,5/9,0	5	-	210	
DFR300	300	294	15,0/17,0	5	-	165	



optional equipment



System



WR2

WR3









watering system p. 56

S449 5615C 5415C 422U S433

2 sizes

### Furu Slim



							
	mm	mm		pcs	pcs	pcs	
DFRH250	250	480	7,5/15,5	5	-	150	
DFRH300	300	575	15,0/27,0	5	-	110	



optional equipment



System



WR2

WR3











watering system p. 56

S449 5615C 5415C 422U S433

2 sizes

### Furu Square Low



								
	mm	mm	mm		pcs	pcs	pcs	
DFS240	240	240	235	7,5/10,0	5	-	225	
DFS300	295	295	290	14,0/19,0	5	-	100	



optional equipment



System



WS1

WS3











watering system p.56

S449 5615C 5415C 422U S433

2 sizes

### Furu Square



								
	mm	mm	mm		pcs	pcs	pcs	
DFSH200	200	200	380	5,0/11,4	5	-	300	
DFSH240	240	240	450	7,5/19,0	5	-	150	
DFSH265	265	265	500	11,0/26,6	5	-	120	
DFSH300	295	295	550	14,0/35,0	3	-	60	
DFSH350	345	345	660	24,0/60,0	3	-	42	
DFSH400	395	395	755	37,0/91,5	3	-	36	



DFSH200, DFSH240  
DFSH265, DFSH300  
DFSH325, DFSH400

optional equipment



System



-

WS1

WS2

WS3

-

WS6



watering system p. 56

S449 5615C 5415C 422U S433

6 sizes





**Furu Case**

	mm	mm	mm	EU	pcs	pcs	pcs
DFC400	395	185	195	8/12	4	12	144
DFC600	580	180	195	12/18	4	8	96



S449 422U S433

2 sizes



**Furu Case W**

	mm	mm	mm	EU	pcs	pcs	pcs
DFC400W	395	185	195	8/12	4	12	144
DFC600W	580	180	195	12/18	4	8	96

metal hanger



S433

2 sizes



**Furu Case M**

	mm	mm	mm	EU	pcs	pcs	pcs
DFC800M**	770	235	406	27/72	3	-	33

\*\* 2 stabilizers included



S449 422U S433

1 size



**Furu Case T**

	mm	mm	mm	EU	pcs	pcs	pcs
DFC600T*	580	180	498	12/44	3	-	48
DFC800T**	770	235	686	27/100	2	-	20

\* 1 stabilizer included  
\*\* 2 stabilizers included



S449 422U S433

2 sizes



**Furu**

	mm	mm	mm	EU	pcs	pcs	pcs
DF0150	145	116	1,0	10	270	3240	
DF0170	162	138	1,6	10	100	1800	
DF0200	193	167	2,8	10	-	1900	
DF0240	235	207	5,1	10	-	1200	
DF0300	295	248	10,2	10	-	880	

S449 S433

5 sizes



**Furu**

	mm	mm	mm	EU	pcs	pcs	pcs
DFA120	122	122	10	300	3600		
DFA145	147	148	10	220	2200		
DFA175	178	180	5	90	900		

S449 S433

3 sizes



**Furu**

	mm	mm	mm	pcs	pcs	pcs
DFA 275	277	147	148	10	40	960

- S449
- S433

1 size



**Furu**

	mm	mm	mm	pcs	pcs	pcs
DFUR240	236	195	5,0	5	15	225
DFUR300	290	240	9,5	3	12	120
DFUR400	395	320	26,0	4	8	48

- S449
- 5615C
- 443U
- S433

3 sizes



new  
**Milly Round**

	mm	mm	mm	pcs	pcs	pcs
DMIG150	146	215	-	-	-	-
DMIG190	188	277	-	-	-	-

- S449
- 443U
- 2411U
- 4985U
- 446U
- S433

2 sizes



new  
**Milly Round**

	mm	mm	mm	pcs	pcs	pcs
DMIL190	188	226	-	-	-	-

- S449
- 443U
- 2411U
- 4985U
- 446U
- S433

1 size



**Milly Round**

	mm	mm	mm	pcs	pcs	pcs
DMI110	109	95	0,7	10	90	2880
DMI130	129	114	1,2	10	90	2160
DMI150	146	129	1,7	10	90	1440
DMI170	169	149	2,7	10	70	840
DMI200	196	173	4,0	10	60	720
DMI240	236	208	7,0	5	20	340
DMI300	292	258	13,5	5	-	385
DMI350	342	302	21,5	5	-	180
DMI400	390	345	32,0	3	-	108

- S449
- 443U
- 2411U
- 309U
- 4985U
- 446U
- S433

9 sizes



new  
**Milly Round**

	mm	mm	mm	pcs	pcs	pcs
DMIN130	128	138	-	-	-	-
DMIN150	146	157	-	-	-	-
DMIN170	168	181	-	-	-	-
DMIN200	195	210	-	-	-	-

- S449
- 443U
- 2411U
- 4985U
- 446U
- S433

4 sizes



### Ryfo

	∅ mm	↑ mm	↓ mm	↓ mm	↓ mm	↓ mm	pcs	pcs	pcs
DRF70	69	58		0,16	10	120	8640		
DRF90	88	75		0,34	10	120	3600		
DRF110	107	91		0,6	10	90	2880		
DRF130	126	108		1,0	10	90	2160		
DRF150	146	126		1,6	10	60	1320		
DRF170	168	147		2,5	10	50	900		
DRF200	195	170		4,0	10	60	720		

S449 5615C 5415C 443U S433 7 sizes



### Ryfo N

	∅ mm	↑ mm	↓ mm	↓ mm	↓ mm	↓ mm	pcs	pcs	pcs
DRF110N	107	105		0,6	10	100	2400		
DRF130N	126	125		1,0	10	90	1980		
DRF150N	145	145		1,6	10	60	1080		
DRF170N	168	170		2,5	10	50	900		
DRF200N	195	194		4,0	10	60	720		

S449 5615C 5415C 443U S433 5 sizes



### Sandy Round

	∅ mm	↑ mm	↓ mm	↓ mm	↓ mm	↓ mm	pcs	pcs	pcs
DSR130	128	111		0,9	10	90	2160		
DSR160	158	138		1,7	10	80	960		
DSR190	189	165		3,0	10	60	720		
DSR220	225	192		5,0	10	-	720		
DSR260	262	222		7,9	5	-	455		

S449 CY728 7529U 405U S433 5 sizes



### Sandy P

	∅ mm	↑ mm	↓ mm	↓ mm	↓ mm	↓ mm	pcs	pcs	pcs
DSY110P	108	102		0,6	10	240	4320		
DSY130P	129	120		1,0	10	180	3240		
DSY150P	149	139		1,6	5	135	1620		
DSY170P	168	157		2,3	5	105	1260		
DSY190P	188	175		3,3	5	60	720		
DSY240P	239	225		6,9	5	-	525		
DSY290P	282	260		11,3	5	-	275		

saucer included  
S449 CY728 7529U S433 7 sizes



### Sandy Bowl

	∅ mm	↑ mm	↓ mm	↓ mm	↓ mm	↓ mm	pcs	pcs	pcs
DSK180	180	136		1,4	5	30	300		
DSK240	238	161		2,3	5	10	170		
DSK290	290	195		3,9	4	8	96		
DSK370	370	218		9,0	2	-	48		

S449 405U S433 6 sizes



### Splofy Bowl

	∅ mm	↑ mm	↓ mm	↓ mm	↓ mm	↓ mm	pcs	pcs	pcs
DKSP180	180	136		1,4	5	30	300		
DKSP240	239	161		2,3	5	10	170		
DKSP290	290	195		3,9	4	8	96		
DKSP370	370	218		9,0	2	-	48		

S449 7529U S433 6 sizes



Total height ~ 1,1 m

### Metal Hanger

	← mm	↗ mm	↓ mm	↓ mm	↓ mm	↓ mm	pcs	pcs	pcs
IWS	90	130	7	10	300	1920			

1 size







### Splofy Case

	mm	mm	mm	pcs	pcs	pcs
DSPC300	297	145	133	4,0	5	- 1000
DSPC400	397	180	145	7,4	5	- 600

S449 405U S433

2 sizes




### Splofy Low

	mm	mm	mm	pcs	pcs	pcs
DSPM240	236	123	3,8	5	-	825

S449 S433

1 size



### Splofy Round W

	mm	mm	mm	pcs	pcs	pcs
DSPW230	230	145	3,0	5	20	480
DSPW270	270	166	4,8	5	-	495

saucer included

S449 S433

2 sizes



### Splofy

	mm	mm	mm	pcs	pcs	pcs
DSP130	130	108	0,9	5	135	2430
DSP160	157	132	1,7	5	75	1350
DSP190	187	158	3,0	5	60	1080
DSP220	218	184	5,0	5	-	720
DSP260	259	220	8,0	5	-	520
DSP300	295	249	11,5	5	-	385

S449 7529U 405U S433

DSP350	341	289	18,6	5	-	240
DSP400	391	330	28,2	5	-	210

S449 S433

8 sizes



### Orient

	mm	mm	mm	pcs	pcs	pcs
DOR130	128	112	1,0	10	180	3240
DOR160	157	138	2,0	10	160	1920
DOR190	189	167	3,5	5	90	900
DOR220	218	193	5,4	5	-	900
DOR260	258	229	9,0	5	-	585

S449 405U

5 sizes



### Wheaty

	mm	mm	mm	pcs	pcs	pcs
DWH130	128	112	1,0	10	180	3240
DWH160	157	138	2,0	10	160	1920
DWH190	189	167	3,5	5	90	900
DWH220	218	193	5,4	5	-	900
DWH260	258	229	9,0	5	-	585

S449 S433

5 sizes



### Rato Round

	mm	mm	mm	pcs	pcs	pcs
DRTUS200L	200	190	4,0/4,75	5	-	360
DRTUS250L	250	224	7,5/8,70	5	-	210
DRTUS300L	300	270	15,0/15,3	5	-	165
DRTUS400L	400	375	35,0/37,65	3	-	72

optional equipment



### System

pcs
WR1
WR2
WR3
WR6



watering system p. 56

S449 7529U 440U S433

4 sizes



### Rato Round W

	mm	mm	mm	pcs	pcs	pcs
DRTW260	256	219	6,5/8,9	3	-	156


metal hanger & self-watering system

440U S433

1 size

### Metal Hanger

IWS	mm	mm	mm	pcs	pcs	pcs
	90	130	7	10	300	1920



Total height ~ 1,1 m 1 size

### Rato Tubus

	mm	mm	mm	pcs	pcs	pcs
DRTUS200	200	381	4,0/8,0	5	-	270
DRTUS250	250	476	7,5/15,5	5	-	150
DRTUS300	300	572	15,0/27,0	5	-	110
DRTUS400	400	763	35,0/64,0	3	-	36



optional equipment



### System

pcs
WR1
WR2
WR3
WR6



watering system p. 56

S449 7529U 440U S433

4 sizes

### Rato Low

	mm	mm	mm	mm	pcs	pcs	pcs
DRTS170L	170	170	170	3/4,0	5	-	350
DRTS200L	200	200	202	5/6,8	5	-	240
DRTS225L	223	223	228	8/9,8	5	-	175
DRTS265L	262	262	266	11/15,8	5*	-	120
DRTS325L	320	320	325	21/32,0	3*	-	54
DRTS400L	400	400	408	37/64,0	3*	-	45

\*seperate packing of flowerpots and separate of inserts

optional equipment



### System

pcs
-
WS1
WS2
WS4
WS6



watering system p. 56

S449 7529U 440U S433

6 sizes

### Rato Case

	mm	mm	mm	mm	pcs	pcs	pcs
DRTC500	514	192	186	17,0	-	6	72
DRTC600	600	250	240	30,0	3	-	90
DRTC800	800	330	320	72,0	3	-	36


Rattan case in 800 size has three spacers across



S449 7529U 440U S433

3 sizes





### Rato Square

	mm	mm	mm	EU	pcs	pcs	pcs
DRTS170	170	170	324	3,0/7,2	5	-	280
DRTS200	200	200	376	5,0/11,4	5	-	240
DRTS225	225	225	421	8,0/16,3	5	-	150
DRTS240	240	240	450	7,5/19,0	5	-	150
DRTS265	265	265	500	11,0/26,6	5	-	120
DRTS300	290	290	550	14,0/35,0	3	-	54
DRTS325	325	325	610	21,0/49,0	3	-	42
DRTS400	400	400	750	37,0/91,5	3	-	36


 DRTS240, DRTS265,  
 DRTS300, DRTS325  
 DRTS400

optional  
equipment



**System**



pcs

watering system  
p. 56

S449 7529U 440U S433

8 sizes



### Rato Case High

	mm	mm	mm	EU	pcs	pcs	pcs
DRTC600H	600	250	460	30,0	3	-	72
DRTC800H	800	330	620	72,0	3	-	27

Rattan case in 800 size has three spacers across



S449 7529U 440U S433

2 sizes



### Rato Case

	mm	mm	mm	EU	pcs	pcs	pcs
DRC400	395	185	195	8/12	5	15	150
DRC600	580	180	195	12/18	5	10	100



440U S433

2 sizes



### Rato Case W

	mm	mm	mm	EU	pcs	pcs	pcs
DRC400W	395	185	195	8/12	5	15	150
DRC600W	580	180	195	12/18	5	10	100



440U S433

2 sizes



### Rato Case T

	mm	mm	mm	EU	pcs	pcs	pcs
DRC600T*	580	180	498	12/44	3	-	54
DRC800T**	770	235	686	27/100	2	-	20

\* 1 stabilizer included  
\*\* 2 stabilizers included



S449 7529U 440U S433

2 sizes



### Rato Case M

	mm	mm	mm	EU	pcs	pcs	pcs
DRC800M**	770	235	406	27/72	3	-	33

\*\* 2 stabilizers included



S449 7529U 440U S433

1 size



### Ratolla Round W

	mm	mm		pcs	pcs	pcs
DRLW215	217	142	3,40	5	-	750
DRLW240	243	160	4,85	5	-	540

saucer included

- S449
- 7529U
- 440U
- S433

2 sizes



### Ratolla Railing Square

	mm	mm	mm		pcs	pcs	pcs
DRLB280	272	272	225	8,5	5	-	540
DRLB400	396	272	225	13	5	-	405

- 7529U
- 440U
- S433

2 sizes




### Ratolla Square

	mm	mm	mm		pcs	pcs	pcs
DRLK145	145	145	126	1,5	10	80	1920
DRLK165	165	165	142	2,5	10	40	960
DRLK190	190	190	159	3,8	10	-	1200
DRLK220	220	220	189	6,0	5	-	675
DRLK250	250	250	220	8,2	5	-	480

saucer included

- S449
- S433

5 sizes



### Ratolla Round

	mm	mm		pcs	pcs	pcs
DRLO145	145	127	1,2	10	90	1440
DRLO165	165	142	2	10	40	960
DRLO190	190	165	2,8	10	40	880
DRLO220	220	195	4,2	5	-	720
DRLO250	250	219	7,5	5	-	600
DRLO300	300	264	11	5	-	440

saucer included

- S449
- 7529U
- 440U
- S433

6 sizes



### Ratolla Railing Oval

	mm	mm	mm		pcs	pcs	pcs
DRLB300	298	242	225	6	5	-	540

- 7529U
- 440U
- S433

1 size



### Ratolla Case P

	mm	mm	mm		pcs	pcs	pcs
DRL300P	293	119	126	3,0	10	60	1200
DRL400P	386	154	142	6,0	10	-	1050
DRL500P	492	172	174	12,0	10	-	540
DRL600P	590	154	142	8,5	10	-	600

saucer included

- S449
- 7529U
- 440U
- S433

4 sizes



**Ratolla Case PW**

	mm	mm	mm	pcs	pcs	pcs
DRL400PW	386	154	142	6,0	5	- 450
DRL500PW	492	172	174	12,0	5	- 225
DRL600PW	590	154	142	8,5	5	- 300

saucer & irrigation tray included

S449 7529U 440U S433

3 sizes



**Ratolla Case P**

	mm	mm	mm	pcs	pcs	pcs
ISR400P	391	173	150	6,3	10	- 600
ISR500P	489	173	150	8,1	10	- 540
ISR600P	587	173	150	9,9	10	- 480
ISR700P	685	173	150	11,7	10	- 360
ISR800P	783	173	150	13,5	10	- 360

saucer included

Sizes 700, 800 have two spacers across

7529U 440U S433

5 sizes

Check Hanger Index p. 122





### Boardee Fencyase

	mm	mm	mm	pcs	pcs	pcs
DDEF400	380	180	162	6	5	135
DDEF600	580	180	162	9,7	5	90



S449 405U R222 S433

2 sizes



### Boardee Fencyase W

	mm	mm	mm	pcs	pcs	pcs
DDEF400W	380	180	162	6	5	135
DDEF600W	580	180	162	9,7	5	90

Self - watering system included for the proper irrigation of plants.



S449 405U R222 S433

2 sizes



### Boardee Case

	mm	mm	mm	pcs	pcs	pcs
DDEC400	383	144	130	4,9	10	640
DDEC600	587	144	130	7,9	10	400

S449 R222 S433

2 sizes



### Boardee Hook

	mm	mm	mm	pcs	pcs	pcs
DDECZ400	383	212	130	4,9	10	480

S449 405U R222 S433

1 size



### Boardee Hook

	mm	mm	mm	pcs	pcs	pcs
DDEZ150	144	212	130	1,4	10	90
DDEZ200	194	212	130	2,2	10	60

S449 S433

2 sizes



### Boardee Basic

	mm	mm	mm	pcs	pcs	pcs
DDE150	144	130	1,4	10	110	1320
DDE170	165	150	2,2	10	50	900
DDE200	199	179	3,9	5	-	840
DDE240	239	215	7,0	5	-	525
DDE290	285	256	12,0	5	-	330

S449 S433

5 sizes



### Boardee Wall

	mm	mm	mm	pcs	pcs	pcs
DDES200	194	150	202	-	5	80
DDES280	274	150	202	-	5	700

S449 S433

2 sizes



**Lofly**

	mm	mm		pcs	pcs	pcs
DLOF135	134	120	1	10	60	1920
DLOF160	158	144	1,75	10	80	1120
DLOF200	196	181	3,4	10	-	800
DLOF250	245	225	6,7	5	-	420
DLOF300	293	266	11,5	5	-	275
DLOF350	345	311	18,8	5	-	120
DLOF400	390	352	27,3	3	-	108
DLOF500	476	425	52,0	3	-	45
DLOF600*	582	523	54,7	3	-	24


S449 405U S433

\*By DLOF600 wheels included

9 sizes



solid construction with 4 independent rotating systems of rollers



**Lofly Saucer**

	mm	mm	pcs	pcs	pcs
PPLF105	105	17	10/100	900	21600
PPLF125	125	20	10/100	900	16200
PPLF155	155	25	10/100	500	9000
PPLF190	190	31	10/100	600	6000
PPLF230	230	37	10/100	-	5400
PPLF270	270	44	10/100	-	2600
PPLF305	305	49	10	-	1600
PPLF380	380	62	10	-	1080

S449 405U S433

8 sizes



**Lofly Railing**

	mm	mm	mm		pcs	pcs	pcs
DLOFR250	245	245	225	5	5	-	420
DLOFR400	396	266	250	12,3	5	-	225

S449 405U S433  
R624 389U 235C

2 sizes



### Lofly Case

	mm	mm	mm	pcs	pcs	pcs
DLOFC400	378	177	164	8,0	5	- 420
DLOFC600	578	257	244	26,0	3	- 144
DLOFC800	792	352	334	71,5	3	- 45
DLOFC1000*	992	390	410	111,5	3	- 24

\*DLOFC1000 comes with metal stability spacers across



option self-watering system p. 65

DLOFC400, DLOFC600



\*Big size includes wheels

405U

S433

4 sizes

### Lofly Saucer Case

	mm	mm	mm	pcs	pcs
PPLFC360	360	148	24	5	4320
PPLFC535	535	212	34	6	1596
PPLFC735	732	290	49	6	696
PPLFC920*	920	315	59	6	198



\*Big size includes wheels

405U

S433

4 sizes

### Lofly Saucer Square

	mm	mm	mm	pcs	pcs
PPLFQ165	165	165	27	10	8400
PPLFQ200	200	200	32	10	7200
PPLFQ245	245	245	40	10	3240

S433

3 sizes



### Lofly Low

	mm	mm	mm	pcs	pcs	pcs
DLOFL200	193	193	181	4,5	5	- 840
DLOFL240	234	234	220	8,0	5	- 450
DLOFL300	289	289	271	15,2	5	- 200

S433

3 sizes

### Lofly Square

	mm	mm	mm	pcs	pcs	pcs
DLOFQ200	193	193	293	7,2	5	- 540
DLOFQ240	234	234	356	12,9	5	- 255
DLOFQ300	289	289	439	24,3	5	- 120

S433

3 sizes







**Cascade Wall**

	mm	mm	mm	pcs	pcs	pcs	
I02W600W	670	177	570	12 x 0,75	-	1	36

S433

1 size



**Cascade Garden**

	mm	mm	mm	pcs	pcs	pcs	
I02W600S	685	190	546	12 x 0,75	-	1	36

S433

1 size



**Cascade Garden Wall**

	mm	mm	mm	pcs	pcs	pcs	
I03W800	780	190	350	-	-	1	36

S433

1 size



**Mini Cascade**

	mm	mm	mm	pcs	pcs	pcs	
I01W200	195	114	475	4 x 1,0	-	1	192

scissors included  
saucer included

S449

S433

1 size



new

**Bloma**

	mm	mm	mm	mm total	pcs	pcs	pcs	
DBLO600	580	288	225	780	-	-	-	-

405U

S433







1 size



regular collection



### Respana Basic

						
	mm	mm	mm	pcs	pcs	pcs
DRE300	295	221	7,5	10	-	660
DRE390	390	273	16,0	10	-	300








saucer included

**S433**



2 sizes

### Respana Twins

							
	mm	mm	mm	pcs	pcs	pcs	pcs
DRED200	463	200	336	2 x 2,5	5	30	360








saucer included

**S433**



1 size

### Respana Trio

							
	mm	mm	mm	pcs	pcs	pcs	pcs
DRET123S	470	405	28,1	1 kpl	-	40	








saucer included

**S433**

1 size



### Respana W

							
	mm	mm	mm	pcs	pcs	pcs	pcs
DREW210	208	125	2,0	5	30	720	
DREW240	234	135	3,0	5	30	720	
DREW270	270	145	4,0	5	40	480	

saucer included






**S433**

3 sizes



plastic hanger

### Respana Set

					
	mm	mm	mm	pcs	pcs
ISE400P	392	184	150	10	720
ISE500P	490	184	150	10	540
ISE600P	590	184	150	10	480
ISE800P	786	184	150	10	360
ISE900P	885	184	150	10	240

saucer included

**S449** **R624** **R222** **405U** **S433**

5 sizes



### Respana Easycare

					
	mm	mm	mm	pcs	pcs
ISE400S	397	190	140	10	840
ISE600S	593	190	140	10	560

saucer included

**R624** **R222** **405U** **S433**

2 sizes



space for watering

### Respana Easycare W

						
	mm	mm	mm	pcs	pcs	pcs
ISE400SW	397	190	140	8	16	384
ISE600SW	593	190	140	12	24	288

saucer included








**R624** **R222** **405U** **S433**

2 sizes



space for watering

### Respana Railing

							
	mm	mm	mm	pcs	pcs	pcs	pcs
DREB290	288	298	209	9,0	10	-	720
DREB400	398	298	209	13,0	10	-	640

**S433**

2 sizes



### Urbi Round



	mm	mm	mm	pcs	pcs	pcs
DURO250	250	250	7,5 / 9,0	5	-	210
DURO300	300	295	15,0 / 17,0	5	-	165



S449 7529U S433

optional equipment



System



WR2  
WR3



watering system p. 56

2 sizes

### Urbi Square Low



	mm	mm	mm	pcs	pcs	pcs
DURS240L	240	240	235	7,5 / 10,0	5	- 255
DURS300L	295	295	290	14,0 / 19,0	5	- 100



S449 7529U S433

optional equipment



System



WS1  
WS3



watering system p. 56

2 sizes

### Urbi Square



	mm	mm	mm	pcs	pcs	pcs
DURS125*	126	126	200	- / 2,0	10	90 1620
DURS140	140	140	265	2,0 / 4,0	5	20 400
DURS170	170	170	325	3,0 / 7,2	5	- 280
DURS200	195	195	375	5,0 / 11,4	5	- 240
DURS225	220	220	420	8,0 / 16,3	5	- 150
DURS240	240	240	450	7,5 / 19,0	5	- 150
DURS265	265	265	500	11,0 / 26,6	5	- 120
DURS300	295	295	550	14,0 / 35,0	3	- 54
DURS325	325	325	610	21,0 / 49,0	3	- 42
DURS400	400	400	750	37,0 / 91,5	3	- 36



DURS240, DURS265,  
DURS300, DURS325,  
DURS400

S449 S433

optional equipment



System




WS1  
WS1  
WS2  
WS3  
WS4  
WS6



watering system p. 56

10 sizes

### Urbi Case




	mm	mm	mm	pcs	pcs	pcs
DUC400	395	185	195	8 / 12	5	15 150
DUC600	580	180	195	12 / 18	5	10 100
DUC800	770	235	246	27 / 40	3	- 51



S449 7529U S433

3 sizes

### Urbi Case W



	mm	mm	mm	pcs	pcs	pcs
DUC400W	395	185	195	8 / 12	5	15 150
DUC600W	580	180	195	12 / 18	5	10 100



S449 7529U S433

2 sizes

### Urbi Case N




	mm	mm	mm	pcs	pcs	pcs
DUC800N	770	235	300	27 / 40	3	- 51



S449 7529U S433

1 size



**Urbi Case M**

	mm	mm	mm	pcs	pcs	pcs
DUC800M	770	235	406	27/72	3	- 33

2 stabilizers included



- S449
- 7529U
- S433

1 size



**Urbi Case T**

	mm	mm	mm	pcs	pcs	pcs
DUC600T*	580	180	498	12/44	3	- 54
DUC800T**	770	235	686	27/100	2	- 20



\* 1 stabilizer included  
\*\* 2 stabilizers included

- S449
- 7529U
- S433

2 sizes



**Tubus Slim**

	mm	mm	pcs	pcs	pcs
DTUS150	150	286	2,0/3,3	5	30 540
DTUS200	200	381	4,0/8,0	5	- 360
DTUS250	250	476	7,5/15,5	5	- 150
DTUS300	300	572	15,0/27,0	5	- 110
DTUS400	400	762	35,0/64,0	5	- 60

optional equipment



**System**



- 
- WR1
- WR2
- WR3
- WR6



watering system p. 56

- S449

5 sizes



**Tubus Slim Shine**

	mm	mm	pcs	pcs	pcs
DTUS150S	150	286	2,0/3,3	5	30 540
DTUS200S	200	381	4,0/8,0	5	- 360
DTUS250S	250	476	7,5/15,5	5	- 150
DTUS300S	300	572	15,0/27,0	5	- 110
DTUS400S	400	762	35,0/64,0	5	- 60

optional equipment



**System**



- 
- WR1
- WR2
- WR3
- WR6



watering system p. 56

- S449

5 sizes



**Tubus**

	mm	mm	pcs	pcs	pcs
DTUB200	200	187	3,5	10	- 2400
DTUB250	250	233	7,0	10	- 1200
DTUB300	300	280	12,0	10	- 720
DTUB400	400	373	28,5	10	- 300

- S449
- S433

4 sizes





**Lace**

	mm	mm	pcs	pcs	pcs
DLAC 115	112	130	10	160	5120
DLAC 140	135	155	10	180	4320
DLAC 160	160	185	10	100	1800
DLAC 180	180	210	10	40	960

S449

4 sizes



**Lace**

	mm	mm	mm	pcs	pcs	pcs
DLAC285	285	135	155	10	120	1440

S449

1 size



**Coubi Orchid**

	mm	mm	mm		pcs	pcs	pcs
DUMS200P	198	130	102	1,0	10	180	3240
DUMS360P	360	150	132	3,8	10	80	960

\*polystyrene

CPNO

2 sizes



**Coubi Orchid**

	mm	mm	mm		pcs	pcs	pcs
DUMS200	198	130	102	1,0	10	180	3240
DUMS360	360	150	132	3,8	10	80	960

S449

S433

2 sizes



**Decor Orchid Sticks**

	mm	mm	mm	pcs	pcs	pcs
ISTC01*	90/60	585	12	48*	3840	

\*polycarbonate

\*polycarbonatemix design 24 + 24 pcs

CPR9 CPNO CPY2

1 size



**Decor Orchid Sticks**

	mm	mm	mm	pcs	pcs	pcs
ISTC02*	40	550	20	100	8000	

\*polycarbonate

CPR9 CPNO CPY2

1 size



**Decor Orchid Sticks**

	mm	mm	mm	pcs	pcs	pcs
ISTC03*	50	390	20	160	12800	

\*polycarbonate

CPR9 CPNO CPY2

1 size



**Coubi**

	Ø mm	↑ mm	↓ pcs	↑ pcs	↓ pcs
PPC120	120	15	10/50	600	14400
PPC140	140	20	10/50	400	7200
PPC175	175	25	10/60	240	5760
PPC210	210	30	10/50	-	4500
PPC260	260	37	10/60	-	2160
PPC320	320	41	10/50	-	1200
PPC360	360	47	10	-	900
PPC460	460	54	10	-	390



8 sizes



**Coubi Orchid**

	← mm	↗ mm	↑ mm	↓ pcs	↑ pcs	↓ pcs
DUKO130P	132	132	165	1,6	10	90 1620

\*polystyrene



1 size



**Coubi Orchid**

	Ø mm	↑ mm	↓ pcs	↑ pcs	↓ pcs
DUS130P	130	170	1,3	10	90 2160

\*polystyrene



1 size



**Coubi Orchid**

	Ø mm	↑ mm	↓ pcs	↑ pcs	↓ pcs
DUOW130P	132	160	1,5	10	180 1620
DUOW160P	160	183	2,4	10	50 900

\*polystyrene



2 sizes



**Coubi Orchid**

	Ø mm	↑ mm	↓ pcs	↑ pcs	↓ pcs
DUOW130T	132	160	1,5	10	180 1620
DUOW160T	160	183	2,4	10	50 900



2 sizes



**Coubi Orchid**

	Ø mm	↑ mm	↓ pcs	↑ pcs	↓ pcs
DST0125	125	147	1,1	10	120 1920



1 size



**Coubi Orchid**

	Ø mm	↑ mm	↓ pcs	↑ pcs	↓ pcs
DST0125M	125	147	1,1	10	120 1920



1 size





### Coubi Round P

	mm	mm	mm	pcs	pcs	pcs
DUOP100	100	92	0,5	10	360	5760
DUOP120	120	110	0,8	10	300	3600
DUOP135	135	124	1,2	10	120	2400
DUOP155	155	142	2,0	10	40	1280
DUOP180	180	165	2,8	10	60	960
DUOP210	210	193	4,2	10	60	540
DUOP240	240	220	7,5	5	30	450
DUOP280	280	262	11,0	5	20	240

saucer included

S449 426U

8 sizes



### Coubi Square P

	mm	mm	mm	mm	pcs	pcs	pcs
DUKP100	100	100	92	0,5	10	360	8640
DUKP120	120	120	110	1,2	10	150	3000
DUKP135	135	135	124	1,5	10	120	2880
DUKP155	155	155	142	2,5	10	80	1600
DUKP180	180	180	165	3,8	10	40	960
DUKP210	210	210	192	6,0	5	45	450
DUKP240	240	240	220	8,2	5	-	675

saucer included

S449 426U

7 sizes



### Coubi Case P

	mm	mm	mm	mm	pcs	pcs	pcs
DUPP240	240	120	110	2,5	10	-	2400
DUPP300	290	142	136	4,4	10	-	1200
DUPP400	390	190	182	10,6	10	-	600

saucer included

S449 426U

3 sizes



### Coubi Herbal

	mm	mm	mm	mm	pcs	pcs	pcs
DKN3003	295	295	380	9,0	-	8kpl	96

saucer included

S449 426U

1 size



### Coubi Chain

	mm	mm	mm	pcs	pcs	pcs
IL300W	100	10	130	-	-	-

Accessory for flowerpot DKN3003.

Total height ~ 0,9 m 1 size



### Herbs cut

	mm	mm	mm	mm	pcs	pcs	pcs
ICUT1	130	60	12	-	24/480	5760	






MIX color

S449 389U

1 size



**Twins cube**

							
	mm	mm	mm	mm	pcs	pcs	pcs
DTC245	244	110	120	2,5	-	10	720


scissors included

S449

1 size



**Limes dublo**

							
	mm	mm	mm	mm	pcs	pcs	pcs
DLD250	250	120	120	2,3	-	10	900

scissors included

S449

1 size







**Crown**

	mm	mm	mm	pcs	pcs
DCRO480	480	264	16,0	12	144

S433

1 size



**Crown**

	mm	mm	mm	pcs	pcs	pcs
DCRO240	242	278	201	7,0	10	840
DCRO400	393	278	201	12,0	10	630
DCRO600	580	278	201	18,0	10	360

S449 R624 S433

3 sizes



**Camelia**

	mm	mm	mm	pcs	pcs	pcs	pcs
DCM400	402	170	143	5,5	10	-	700
DCM500	508	188	173	9,6	10	-	360
DCM600	595	170	143	8,5	10	-	450

saucer included

R624 R222

3 sizes



**Camelia W**

	mm	mm	mm	pcs	pcs	pcs	pcs
DCM400W	402	170	143	5,5	5	-	420
DCM500W	508	188	173	9,6	5	-	225
DCM600W	595	170	143	8,5	5	-	270

saucer + hooks included

R624 R222

Check Hanger Index p. 122



3 sizes



**Agro**

	mm	mm	mm	pcs	pcs
IS400	400	180	140	10	1320
IS500	500	180	140	10	1080
IS600	600	180	140	10	880
IS700	700	180	140	10	720
IS800	800	180	140	10	720
IS1000	1000	180	140	10	480



Check Hanger Index p. 122

S449 S433 R624 R222

6 sizes



**Agro**

	mm	mm	mm	pcs	pcs
IP400	345	127	28	10	3600
IP500	445	127	28	10	2610
IP600	544	127	28	10	2470
IP700	653	127	28	10	1700
IP800	753	127	28	10	1620
IP1000	953	127	28	10	1080

S449 S433 R624 R222

6 sizes



**Balcony can**

	mm	mm	mm	pcs	pcs
IS6CAN	600	180	140	11,0	10 320

R624

1 size



**Balcony can**

	mm	mm	mm	pcs	pcs
ISBT5CAN	500	190	160	7,5	10 360

R624

1 size



**Universa**

	mm	mm	mm	pcs	pcs
IPU400	369	155	25	10	2550
IPU500	467	155	25	10	1870
IPU600	567	155	25	10	1700
IPU800	773	155	25	10	1190

S449 S433 R624 R222

4 sizes

**Agro**

	mm	mm	mm	pcs	pcs	pcs
DAGW1	160	100	0,8	10	80	1920
DAGW2	180	115	1,2	10	120	1920
DAGW3	210	130	2,0	10	-	2640
DAGW4	240	150	3,0	10	-	1350
DAGW5	270	160	4,5	10	-	1200

saucer included



plastic hanger

R624

5 sizes

**Plastica**

	mm	mm	mm	pcs	pcs	pcs
DP15	150	112	0,9	10	120	2880
DP17	170	127	1,4	10	80	1920
DP20	200	150	2,5	10	80	1920
DP23	230	174	3,5	10	-	1200
DP28	280	212	6,5	10	-	770
DP34	340	257	12,0	10	-	360
DP40	400	303	21,0	10	-	300


R624

7 sizes



**Akant**

	mm	mm	pcs	pcs	pcs
IWA	200	230	10	160	2560



Check Hanger Index p. 122

S449 R624

1 size

**Plastica**

	mm	mm	mm	pcs	pcs	pcs
PP15	151	27	10/60	720	11520	
PP17	168	30	10/40	240	4800	
PP20	195	34	10/40	240	4800	
PP23	222	39	10/40	-	4000	
PP28	263	44	10	-	2470	
PP34	311	47	10	-	1440	
PP40	359	50	10	-	1080	

R624

7 sizes



### Misa



	mm	mm	mm	pcs	pcs
DMS01	130	70	0,5	10/100	4500
DMS02	150	77	0,6	10/50	2800
DMS03	170	85	0,9	10/50	2300
DMS04	200	94	1,25	10	1680

R624

DMS05	225	102	2,0	10	1400
DMS06	260	113	3,0	10	910
DMS07	300	124	4,0	10	770
DMS08	340	136	5,5	10	420

R624

S442

DMS09	400	173	10,0	10	360
DMS10	440	198	14,0	10	200
DMS11	540	213	23,0	10	160
DMS12	650	240	38,0	10	80

R624

12 sizes

### Glinka



	mm	mm	mm	pcs	pcs	pcs
DGA11	110	90	0,25	20	-	6160
DGA13	130	110	0,75	20	-	4400
DGA15	150	126	1,1	20	-	2700
DGA17	170	142	1,6	20	-	1680
DGA19	190	160	2,25	20	-	1000
DGA22	220	190	3,9	10	-	720
DGA26	260	225	5,9	10	-	480
DGA30	300	260	9,4	10	-	330

R624

8 sizes

### Glinka



	mm	mm	pcs	pcs	pcs
PG10	95	24	20/400	-	12000
PG11	110	27	20	360	8640
PG13	130	32	20	360	8640
PG15	145	35	20/100	-	4800
PG17	160	40	20/100	-	4000
PG19	190	45	10/80	-	2880
PG22	220	50	10/50	-	2000
PG26	255	60	10/50	-	1450

R624

8 sizes



**Terra**

	mm	mm		pcs	pcs	pcs
DCE11	110	85	0,5	10	450	8100
DCE13	130	100	0,7	10	180	3600
DCE15	150	115	1,0	10	180	3600
DCE17	175	135	2,0	10	80	1920



R624

DCE20	200	155	3,0	10	80	1920
DCE25	250	195	5,0	10	-	1200
DCE30	300	235	8,0	10	-	770
DCE35	350	275	13,0	10	-	360
DCE40	400	315	20,0	10	-	300
DCE45	450	350	27,0	10	-	160
DCE50	500	390	38,0	10	-	60
DCE55	550	430	48,0	10	-	60
DCE64	640	500	78,0	5	-	50

R624 S433

13 sizes

**Rondo**

	mm	mm	pcs	pcs	pcs
PCR1	305	90	5	15	360



R624

1 size

**Terra**

	mm	mm	mm		pcs	pcs	pcs
DCK1	265	124	100	2,0	10	140	1400
DCK2	316	132	110	2,5	10	120	1200



R624

2 sizes

**Terra**

	mm	mm	mm		pcs	pcs
DTT600	600	257	238	18,0	10	420
DTT700	700	300	277	30,0	10	240
DTT800	800	344	320	44,0	10	150



R624 S433

3 sizes

**Terra**

	mm	mm		pcs	pcs
DMT20	200	95	2,0	10	3300
DMT25	250	115	3,6	10	1680
DMT30	300	130	6,0	10	1320
DMT35	350	150	9,8	10	600
DMT40	400	170	14,5	10	600



R624

5 sizes

**Terra**

	mm	mm	pcs	pcs	pcs
POD09	90	12	10/50	900	36000
POD11	110	14	10/50	700	28000
POD12	120	16	10/50	900	18000
POD14	140	19	10/50	900	14400



R624

POD17	170	22	10/50	500	12000
POD21	210	27	10/50	400	9600
POD25	250	33	10/50	100	3600
POD29	290	38	10/-	-	3300
POD33	330	44	10/-	-	1800
POD37	370	49	10	-	1620
POD41	410	55	10	-	1300
POD46	460	60	10	-	880
POD54	540	69	10	-	400

R624 S433

13 sizes

**Terra**

	mm	mm		pcs	pcs
DWT23	230	140	4,0	10	2160
DWT26	260	160	6,0	10	1300
DWT29	290	180	8,5	10	990



R624

3 sizes



**Terra**

	mm	mm	mm		pcs	pcs
DKWT15	150	150	130	1,7	10	4400
DKWT19	190	190	160	3,5	10	1920
DKWT24	240	240	200	7,0	10	1050
DKWT30	300	300	250	13,8	10	480
DKWT37	370	370	300	25,2	10	300
DKWT45	450	450	350	42,0	10	120/max

R624

S433

6 sizes



**Terra**

	mm	mm	mm	pcs	pcs
PKWT14	140	140	19	10	20000
PKWT17	170	170	24	10	10080
PKWT22	220	220	30	10	5250
PKWT27	270	270	38	10	3960
PKWT34	340	340	45	10	1800
PKWT41	410	410	55	10	1320

R624

S433

6 sizes



**Terra**

	mm	mm	pcs	pcs	pcs
PCE0	80	10	10/100	900	21600
PCE1	95	10	10/100	900	27000
PCE2	110	12	10/100	900	21600
PCE3	135	15	10/100	400	9600
PCE4	160	15	10/100	400	7200
PCE5	197	28	10/40	-	4800
PCE6	220	35	10/40	-	3600
PCE7	270	39	10/40	-	1920
PCE8	325	45	10	-	1200
PCE9	370	60	10	-	900
PCE10	425	65	10	-	900
PCE11	510	76	5	-	240

R624

12 sizes



optionally  
insert for flowers



**Maze Cap**

	mm	mm		pcs	pcs	h
IPDM600	595	192	-	-	80	~1,78 m

R736







S443

S433

1 size



**Milly**


	 mm	 mm		 pcs	 pcs	 pcs
DBMIG240	239	305	4,5/8,5	3	6	102
DBMIG300	298	365	10,0/18,0	3	6	60
DBMIG400	390	495	20,0/41,0	2	-	24

- S449
- 7598U
- 443U
- 2411U
- 4985U
- 446U
- S433

optional equipment



**System**

-  pcs
- WR2
- WR3
- WR5

watering system p.56

3 sizes





### Milly


	∅ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs
DBMIN300	298	285	10,0/17,0	3	- 66
DBMIN400	395	375	20,0/38,0	2	- 30

- S449
- 7598U
- 443U
- 2411U
- 4985U
- 446U
- S433

optional equipment



#### System



watering system  
p. 56

6 sizes



### Milly


	∅ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs
DBMLR300	299	270	10,0/14,0	4	- 88
DBMLR400	395	350	20,0/33,0	3	- 36

- S449
- 7598U
- 443U
- 2411U
- 4985U
- 446U
- S433

optional equipment



#### System



watering system  
p. 56

2 sizes



### Milly


	∅ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs
DBMIR300	299	285	10,0/14,0	5	- 110
DBMIR400	390	370	20,0/33,0	4	- 48

- S449
- 7598U
- 443U
- 2411U
- 4985U
- 446U
- S433

optional equipment



#### System



watering system  
p. 56

2 sizes



**Milly**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DBML240	239	197	4,5/7	4	8	136
DBML300	298	257	10/14	3	6	60
S449	7598U	443U				
2411U	4985U	446U	S433			
DBML350	349	290	15/22	3	6	36
DBML400	391	321	20/31	3	6	36
DBML470	469	385	31/54	2	-	12
S449	7598U	443U				
446U	S433					

optional equipment



**System**



WR2  
WR3

WR4  
WR5  
WR7



watering system  
p. 56

5 sizes



**Milly**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DBMI240	238	227	4,5/7	5	10	170
DBMI300	299	311	10/15	3	-	99
S449	7598U	443U				
2411U	4985U	446U	S433			
DBMI350	349	355	15/23	4	-	48
DBMI400	390	370	20/29	4	-	48
DBMI470	467	442	31/50	4	-	24
S449	7598U	443U				
446U	S433					

optional equipment



**System**



WR2  
WR3

WR4  
WR5  
WR7



watering system  
p. 56

5 sizes





### Furu Bowl



	mm	mm	pcs	pcs	pcs
DBFUK400	378	230	8/25	2	- 36
DBFUK440	435	275	11/36	2	- 24

optional equipment

System

WR3  
WR4

watering system p. 56

S449 443U S433

2 sizes

### Furu



	mm	mm	pcs	pcs	pcs
DBFU300	298	280	10/15	4	- 88
DBFU350	349	295	15/23	3	- 36
DBFU400	390	320	20/30	3	- 36
DBFU470	470	385	31/53	2	- 18
DBFU570	569	445	56/92	1	2 12

optional equipment

System

WR3  
WR4  
WR5  
WR7  
WR8

watering system p. 56

S449 443U S433

5 sizes

new

### Origina



	mm	mm	pcs	pcs
DB0240	238	214	-	- -
DB0300	298	246	-	- -
DB0340	338	287	-	- -
DB0400	390	330	20	- -

S449 405U R736 S433

4 sizes

new

### Origina



	mm	mm	pcs	pcs
DH0400	390	460	26,5	- -

S449 405U R736 S433

1 size

### Heos



	mm	mm	pcs	pcs	pcs
DLHEN300	298	190	8/12	4	8 96
DLHEN400	395	240	18/26	2	4 36
DLHEN470	468	295	31/45	2	- 18

Insert may vary depending on the pot size.

optional equipment

System


WR3  
WR5  
WR7

watering system p. 56

S449 S433

3 sizes

### Heos



	mm	mm	pcs	pcs	pcs
DBHEN300	298	280	10/17	3	6 60
DBHEN400	395	370	20/40	-	4 24
DBHEN470	468	440	31/69	2	- 12

optional equipment

System

WR3  
WR5  
WR7

watering system p. 56

S449 S433

3 sizes



**Heos**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DBHER300	298	290	10/19	2	10	60
DBHER400	390	380	20/44	-	4	24
DBHER470	468	450	31/74	2	-	12

optional  
equipment



**System**



- WR3
- WR5
- WR7



watering system  
p. 56

S449 **S433**

3 sizes



**Heos**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DMHET440	436	299	11/34	-	2	20
DMHET600	582	300	18/56	2	-	12

optional  
equipment



**System**



- WR4
- WR5



watering system  
p. 56

S449 **S433**

2 sizes



**Heos**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DBHET400	395	350	10/32	-	4	24

optional  
equipment



**System**



- WR3



watering system  
p. 56

S449 **S433**

1 size



**Heos**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DPHET440	439	440	15/51	-	2	16

optional  
equipment



**System**



- WR4



watering system  
p. 56

S449 **S433**

1 size



**Heos**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DLHEW300	298	190	8/12	4	8	96
DLHEW400	390	245	18/28	2	4	36

optional  
equipment



**System**



- WR3
- WR5



watering system  
p. 56

S449 **S433**

2 sizes



**Heos**

	∅ mm	↑ mm	EU EU	pcs	pcs	pcs
DLHET350	343	197	8/15	2	4	60
DLHET400	390	228	18/-	2	4	36

optional  
equipment



**System**



- WR3
- WR4



watering system  
p. 56

S449 **S433**

2 sizes



Heos



	mm	mm	EU	pcs	pcs	pcs
DBHEW300	298	280	10/18	3	6	60
DBHEW400	390	350	20/36	-	4	24
DBHEW470	469	420	31/69	2	-	12
DBHEW570	568	470	56/115	1	-	8

optional equipment



System

- WR3
- WR5
- WR7
- WR8



watering system p. 56

S449

S433

4 sizes

Heos



	mm	mm	EU	pcs	pcs	pcs
DPHEW400	390	440	20/46	-	4	24

optional equipment



System

- WR5



watering system p. 56

S449

S433

1 size

Heos



	mm	mm	EU	pcs	pcs	pcs
DBHEM300	298	230	8/18	2	-	110
DBHEM400	395	302	11/32	2	-	48
DBHEM470	469	360	31/47	2	-	18
DBHEM570	569	435	56/84	1	2	12

optional equipment



System

- WR3
- WR5
- WR7
- WR8



watering system p. 56

S449

7598U

443U

S433

4 sizes

Heos



	mm	mm	EU	pcs	pcs	pcs
DBHEK400	370	230	8/18	-	4	36
DBHEK440	436	270	11/32	3	12	24

optional equipment



System

- WR3
- WR4



watering system p. 56

S449

S433

2 sizes



Heos



	mm	mm	EU	pcs	pcs	pcs
DBHEP270	270	319	4,5/13	2	12	72
DBHEP340	343	429	10/36	-	2	30

optional equipment



System

- WR2
- WR3



watering system p. 56

S449

7598U








443U

S433


2 sizes




**Maze**

							
	mm	mm		pcs	pcs	pcs	
DLMZ400	375	279	18/22	4	-	48	
DLMZ500	475	349	40/48	3	-	18	


optional equipment



**System**

 pcs

WR5  
WR7










watering system p. 56

- S449
- 405U
- S433

2 sizes



**Maze**

							
	mm	mm		pcs	pcs	pcs	
DBMZ300	296	329	10/16	4	-	88	
DBMZ400	375	419	20/32	3	-	36	
DBMZ500	475	523	40/68	2	-	12	

optional equipment



**System**

 pcs

WR3  
WR5  
WR7










watering system p. 56

- S449
- 405U
- S433

3 sizes



**Maze**

							
	mm	mm		pcs	pcs	pcs	
DPMZ400	375	579	20/43	3	-	36	

optional equipment



**System**

 pcs

WR5











watering system p. 56

- S449
- 405U
- S433

1 size



**Maze**

								
	mm	mm	mm		pcs	pcs	pcs	
DBMZE600	585	385	423	24/56	3	-	24	

- S449
- 405U
- S433


1 size




**Maze**

							
	mm	mm		pcs	pcs	pcs	
DBMZK400	396	260	10/25	2	-	36	
DBMZK440	436	299	15/36	2	-	24	


optional equipment



**System**

 pcs

WR3  
WR4



watering system p. 56

- S449
- 405U
- S433

2 sizes



## Woode



	mm	mm	mm	pcs	pcs	pcs
DBW0300	299	281	8,0/12,0	5	-	125
DBW0350 *	348	325	11,0/21,0	3	-	72
DBW0400	393	370	18,0/29,0	3	-	54
DBW0490	488	457	40,0/54,0	2	-	24

\*seperate packing of flowerpots and separate of inserts

R222

S433

4 sizes

optional equipment



System



WR3  
WR4  
WR5  
WR7



watering system  
p. 56



## Decora

	mm	mm	mm	pcs	pcs
DBDE30	300	235	8,0	5	275
DBDE35	350	280	15,0	5	120
DBDE39	390	310	21,0	5	120
DBDE45	450	358	30,0	5	45
DBDE57	570	455	65,0	5	20

R736

5 sizes

## Sunny

	mm	mm	mm	pcs	pcs
DBSU30	300	225	8,0	5	330
DBSU35	350	267	14,0	5	180
DBSU40	400	307	22,0	5	150
DBSU46	460	353	34,0	5	60
DBSU57	570	435	60,0	5	40

R736

5 sizes



## Sand Slim

	mm	mm	mm	pcs	pcs	pcs
DPSA300	296	520	8,0/22,0	3	-	72
DPSA350	349	619	11,0/37,0	3	-	36
DPSA400*	390	750	18,0/45,0	1	-	30

\*seperate packing of flowerpots and separate of inserts

S449

7529U

405U

S433

3 sizes

optional equipment



System



WR3  
WR4  
WR5



watering system  
p. 56

## Sand

	mm	mm	mm	pcs	pcs	pcs
DBSA300	295	330	8,0/13,0	5	-	165
DBSA350	345	385	11,0/21,0	5	-	70
DBSA400	388	436	18,0/37,0	5	-	60

S449

7529U

405U

S433

3 sizes

optional equipment



System



WR3  
WR4  
WR5



watering system  
p. 56

massive collection





**Sandy Slim**

	mm	mm	mm	pcs	pcs	pcs
DPSP300	297	531	8,0/22,0	3	-	72
DPSP350	349	620	11,0/37,0	3	-	36
DPSP400*	390	708	18,0/45,0	1	-	30

\*seperate packing of flowerpots and separate of inserts

optional equipment



**System**

pcs	WR3
	WR4
	WR5



watering system p. 56

S449 7529U 405U S433

3 sizes



**Sandy**

	mm	mm	mm	pcs	pcs	pcs
DBSP300	297	330	8,0/13,0	5	-	165
DBSP350	349	381	11,0/21,0	5	-	70
DBSP400	390	436	18,0/37,0	5	-	60

optional equipment



**System**

pcs	WR3
	WR4
	WR5



watering system p. 56

S449 7529U 405U S433

3 sizes



optional set



see page 95

**Matuba**

	mm	mm	mm	pcs	pcs
DBMA300	298	278	12	5	220
DBMA350	348	324	19	5	60
DBMA400	388	370	26	3	72
DBMA490	478	442	52	2	24
DBMA600	600	591	105	2	12

optional equipment



**System**

pcs	WR3
	WR4
	WR5
	WR7
	-



watering system p. 56

S433

5 sizes



**Matuba**

	mm	mm	mm	pcs	pcs
DBMT300	300	350	8,0/14,0	5	110
DBMT400	400	480	18,0/34,0	3	54

optional equipment



**System**

pcs	WR3
	WR5



watering system p. 56

S449 S433

2 sizes



**Matuba Slim**

	mm	mm	mm	pcs	pcs
DPMT300	300	550	8,0/23,0	3	66
DPMT400*	400	780	18,0/57,0	1	24

\*seperate packing of flowerpots and separate of inserts

optional equipment



**System**

pcs	WR3
	WR5



watering system p. 56

S449 S433

2 sizes



### Classic Tower

	∅ mm	↑ mm	📄 mm	📦 pcs	📦 pcs
DPC30*	300	500	8,0/20,0	5	165
DPC40*	400	630	18,0/42,0	5	60
DPC48*	480	790	40,0/86,0	3	27

\*seperate packing of flowerpots and seperate of inserts

optional  
equipment



### System



- WR3
- WR5
- WR7



watering system  
p. 56

R736

S433

3 sizes



### Classic

	∅ mm	↑ mm	📄 mm	📦 pcs	📦 pcs
DBC25	255	240	6,0	5	360
DBC30	300	260	10,0	5	200
DBC35	350	300	16,0	5	150
DBC40	400	340	23,0	5	150
DBC46	450	390	36,0	5	60
DBC57	580	470	67,0	5	30

R736

S433

6 sizes

### Massive

	∅ mm	↑ mm	📦 pcs	📦 pcs
PR21	210	31	5	5000
PR27	270	40	5	2400
PR33	330	49	5	1400
PR39	390	58	5	810
PR45	450	67	5	560
PR51	510	76	5	400/max

S449

7529U

R736

440U

S433

6 sizes



massive collection





new version with comfortable handle



**Insert**

	mm	mm	pcs	pcs	pcs
IWK0280	275	174	8	10	720
IWK0325	325	205	11	10	480
IWK0355	355	220	18	10	360
IWK0460	460	290	40	10	180

- >> DBMA300
- >> DBMA350
- >> DBMA400
- >> DBMA490

S411

4 sizes



**Mobile Platform Round**


	mm	mm	pcs	pcs	pcs
IPMR300	292	40	10	40	480
IPMR400	390	45	6	12	216

R624

S433


2 sizes

solid construction with 4 independent rotating systems of rollers



3 supporting wheels inside roller system

wheel-system PATENT



**Mobile Platform Square**

	mm	mm	mm	pcs	pcs	pcs
IPMS300	292	292	40	10	40	480
IPMS400	390	390	45	6	12	216

R624

S433

2 sizes



**Mobile Saucer Round**

	mm	mm	pcs	pcs	pcs
IPRR300	292	57	8	32	384
IPRR370	366	60	6	-	216
IPRR450	446	63	4	8	128


R624

S433

3 sizes



Smooth movement of the base in each direction



high edge



**Mobile Saucer Square**

	mm	mm	mm	pcs	pcs	pcs
IPRS300	292	292	57	8	32	384
IPRS370	366	366	60	6	-	216
IPRS450	446	446	63	4	8	128

R624

S433


3 sizes











option create  
your own set



Irrigation  
system  
for  
flowerpots






# Watering System



universal short and long irrigation system

## Watering System Round






	 mm	 mm	 mm	 pcs	 pcs
WR1	170	42	170	1	1200
WR2	170	42	170	1	1200
WR3	212	50	212	1	672
WR4	252	59	252	1	399
WR5	277	59	277	1	320
WR6	317	57	317	1	257
WR7	340	59	340	1	216
WR8	415	62	415	1	140

S411

8 sizes



## Watering System Square



	 mm	 mm	 mm	 pcs	 pcs
WS1	210	50	210	1	648
WS2	240	50	240	1	519
WS3	245	52	245	1	481
WS4	295	55	295	1	292
WS6	360	65	360	1	176

S411

5 sizes



## Watering System Long

	 mm	 mm	 mm	 pcs	 pcs
WL1	430	129	45	1	707
WL2	505	180	42	1	375

S411

2 sizes



## Idoz

	 mm	 mm	 pcs	 pcs	 pcs
IDOZ	30	105	-	72	2376

Set includes 2 pieces



1 sizes





**Respana Planter Wood High Set**

	← mm	↗ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs	
ISEW780H*	770	380	795	55	-	5	30

\*polycarbonate lid



405U S433

1 size



*Ecoline*

**Respana Planter Ecoline Set**

	← mm	↗ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs	
IPE600	596	368	753	30	5	-	80
IPE750	746	368	777	42	5	-	60



S433

2 sizes



**Respana Planter Set**

	← mm	↗ mm	↑ mm	📄 pcs	📦 pcs	📊 pcs	
DREP770	770	387	820	52	-	5	30
DREP770W	770	580	963	83	-	3	18

\*included calendar of herbs & vegetables growing



389U 405U S433

2 sizes



new

**Botanic**

	mm	mm	mm		pcs	pcs	pcs
DBOP780	775	378	866	-	-	-	-



405U

S433

1 size



new

**Bloomo**

	mm	mm	mm		pcs	pcs	pcs
DBLP780	775	378	820	-	-	-	-



405U

S433

1 size





### Respana Table Greenhouse

	mm	mm	mm	pcs	pcs	pcs
DREM260	257	196	185	1,6	6	36
DREM260P*	257	196	185	1,6	6	36

not assembled  
\*polycarbonate lid

S433

1 size



### Respana Table Greenhouse

	mm	mm	mm	pcs	pcs	pcs
DREH400	391	257	185	3,6	6	12
DREH400P*	391	257	185	3,6	6	12

not assembled  
\*polycarbonate lid

S433

1 size




### Respana Table Greenhouse

	mm	mm	mm	pcs	pcs	pcs
DREL400	515	196	185	3,6	6	18
DREL400P*	515	196	185	3,6	6	18

not assembled  
\*polycarbonate lid

S433

1 size



### Respana Starter Set

	mm	mm	mm	pcs	pcs	pcs
INST01	576	460	190	-	4	24

set contains:



S433

1 size



### Respana Grow Tray

	mm	mm	mm	pcs	pcs	pcs
INTC60	576	456	110	-	6	84

S433

1 size



1. **R Cup**  
2. **R Cup Plus**

S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INNA	122	105	226	-	5	20	480	
2. INNAAB*	122	105	226	-	5	20	480	

2 variants



1. **R Scoop 2**  
2. **R Scoop 2 Plus**

S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INLD	288	85	46	-	10	100	2400	
2. INLDAB*	307	85	46	-	5	50	1200	

2 variants



1. **R Scoop 1**  
2. **R Scoop 1 Plus**

S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INLM	288	53	34	-	10	180	4320	
2. INLMAB*	307	53	34	-	5	80	1920	

2 variants



1. **R Digger**  
2. **R Digger Plus**


S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INPI	152	34	207	-	10	120	2880	
2. INPIAB*	171	34	207	-	5	60	1440	

2 variants



1. **R Hoe**  
2. **R Hoe Plus**

S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INMO	290	80	196	-	10	40	960	
2. INMOAB*	309	80	196	-	5	30	720	

2 variants



1. **R Fork**  
2. **R Fork Plus**

S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INGR	254	79	105	-	10	100	2400	
2. INGRAB*	273	79	105	-	5	50	1200	

2 variants



1. **R Fork Seeder**  
2. **R Fork Seeder Plus**

S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INSE	255	86	58	-	10	80	1920	
2. INSEAB*	274	86	58	-	5	50	1200	

2 variants



1. **R Cultivator**  
2. **R Cultivator Plus**


S411

4C

1.  
2. \*made of ABS

	mm	mm	mm		pcs	pcs	pcs	
1. INWD	251	78	54	-	10	100	2400	
2. INWDAB*	270	78	54	-	5	70	1680	

2 variants



S411

4C

1.

2. \*made of ABS

2 variants

1. R Rakes  
2. R Rakes Plus

	mm	mm	mm		pcs	pcs	pcs
1. INGRL	520	172	63	-	5	50	1000
2. INGRLAB*	539	172	63	-	5	40	800



Respana Gardening Tools Set

	mm	mm	mm		pcs	pcs	pcs
INWN01	370	200	120	-	-	10	240

S411

1 size



Dry Pad

	mm	mm	mm		pcs	pcs	pcs
IP0720	716	348	33	-	10	-	840

S411

1 size



fix size mesh 10 mm



simple twist move  
& adjust the size of the mesh  
from 4 mm to 10 mm

Respana Garden Sieve

	mm	mm		pcs	pcs	pcs
ISIO370M	370	104	-	10	40	720

S411

1 size

Respana Garden Sieve


	mm	mm		pcs	pcs	pcs
ISIO370	374	104	-	10	30	540

S411

1 size



simple slide move  
& adjust the size of the mesh  
from 4 mm to 10 mm



Respana Garden Sieve

	mm	mm	mm		pcs	pcs	pcs
ISIK400	394	294	108	-	10	40	800

S411

1 size



Tomato Grower

	mm	mm	mm	mm	pcs	pcs	pcs	pcs
IPOM350	345	265	1270	18	5	-	140	

S433

1 size



Tomato Grower

	mm	mm	mm	mm	pcs	pcs	pcs	pcs
IPOM300	295	245	1152	12	5	-	220	
IPOM400	392	315	1530	28	5	-	90	

S433

2 sizes



Tomato Grower Cap

	mm	mm	mm	pcs	pcs	pcs	pcs
IPOC400	385	51	-	1	10	180	

S429

1 size

Compatible with tomato grower IPOM300 / IPOM400 DEPO300 / DEPO400





new

Home Grower



	mm	mm	mm	pcs	pcs	pcs
DEPO300	292	283	1080	14,5	-	-
DEPO400	390	375	1415	35,0	-	-

S433 2411U 4665W

2 sizes



new

Planti



	mm	mm	pcs	pcs
DMLR120	124	110	0,9	10 4860
DMLR140	145	128	1,4	10 3200
DMLR160	165	146	2,1	10 2700
DMLR190	195	160	3,1	- 1440
DMLR230	235	190	5,4	- 1200

S429 R624 405U S411

5 sizes

Potato Grower



	mm	mm	pcs	pcs	pcs
IZIE300	295	245	12	5 -	220
IZIE400	392	316	28	5 -	90

S433

2 sizes



new

Grower



	mm	mm	pcs	pcs	pcs
DOGR110	109	100	0,6	10 340	6800
DOGR125	124	114	1,0	10 270	4860
DOGR140	139	128	1,3	10 220	3520
DOGR160	159	146	2,0	10 100	2200
DOGR180	179	165	3,0	10 120	1440
DOGR200	199	183	4,0	10 120	1440
DOGR240	235	216	6,5	10 -	1200

S429 S449 443U G851

7 sizes



new

# Floo Supports IFLS1

1x

Set Contains:

8 pcs -60 cm

16 pcs

8 pcs

4 pcs

24 pcs

8 pcs

dimensions:  
~ 21 x 21 x 120 cm

G851

Closed structures are ideal for arrangement  
in a pot with dimensions of 30 x 30 cm.



Compatibility:  
Sierra, Madera  
p. 4, p. 10

option

2x



dimensions:  
~ 21 x 21 x 60 cm

2x



dimensions:  
~ 21 x 21 x 60 cm

1x



dimensions:  
~ 21 x 21 x 120 cm



new

Floo Supports

IFLS2

Set Contains:

8 pcs - 60 cm

16 pcs

8 pcs

4 pcs

24 pcs

8 pcs

dimensions:  
~ 29 x 29 x 120 cm

G851

Closed structures are ideal for arrangement in a pot with dimensions of 40 x 40 cm.

Compatibility:  
Sierra, Madera  
p. 4, p. 10

1x



option

2x



dimensions:  
~ 29 x 29 x 60 cm

2x



dimensions:  
~ 29 x 29 x 60 cm

1x



dimensions:  
~ 29 x 29 x 120 cm

new

Floo Supports

IFLS3

Set Contains:

12 pcs - 60cm

18 pcs

18 pcs

3 pcs

36 pcs

6 pcs

dimensions:  
~ 60 x 120 cm

G851

1x




option

2x



dimensions:  
~ 60 x 60 cm

1x



dimensions:  
~ 120 x 60 cm

new

# Floo Supports IFLS4

Set Contains:

36 pcs - 60 cm



54 pcs




45 pcs



21 pcs



110 pcs




9 pcs


dimensions:  
~ 120 x 180 cm

G851

1x




option



3x

dimensions:  
~ 60 x 120 cm



1x

dimensions:  
~ 180 x 120 cm



new

# Floo Supports IFLS5

Set Contains:

4 pcs - 44 cm

4 pcs - 32 cm



2 pcs



2 pcs



2 pcs



16 pcs




3 pcs



3 pcs



6 pcs



8 pcs


dimensions:  
~ Ø 35 x 80 cm

G851

1x




option




2x

dimensions:  
~ Ø 35 x 32/44 cm



1x

dimensions:  
~ Ø 25 x 80 cm



2x

dimensions:  
~ Ø 25 x 32/44 cm



new

Floo Supports

IFLS6

Set Contains:

8 pcs - 32 cm



1 pc



10 pcs



6 pcs



1 pc



4 pcs




1 pc



4 pcs



20 pcs



4 pcs

dimensions:  
~ Ø 25 x 60 cm

G851



1x



option



1x

dimensions:  
~ Ø 38 cm



1x

dimensions:  
~ 27 x 27 cm

new

Floo Supports

IFLS7

Set Contains:

8 pcs - 44 cm



1 pc



15 pcs



6 pcs



1 pc



4 pcs




1 pc



4 pcs



32 pcs



4 pcs

dimensions:  
~ Ø 35 x 90 cm

G851



1x



option



1x

dimensions:  
~ Ø 50 cm









1x

dimensions:  
~ 35 x 35 cm



new

**Floo Tunnels**







						
	mm	mm	mm	pcs	pcs	pcs
IFLT1	-	-	-	-	-	-
<b>G851</b>						



1 size



new

**Floo Tunnels**







						
	mm	mm	mm	pcs	pcs	pcs
IFLT2	-	-	-	-	-	-
<b>G851</b>						



1 size



**Combioliq**

						
	mm	mm	mm	pcs	pcs	pcs
IBFT25	296	425	25	1 kpl	44	
IBFT55	380	590	55	1 kpl	18	
<b>S411</b>						



2 sizes



# Underground mini-compost bin


for turning organic matter into a natural fertiliser



## Combiosoil

mm	mm	mm	mm	pcs	pcs
IKUGL	250	530	11	3	108
S411					

1 sizes



new

## Tubo



mm	mm	mm	mm	pcs	pcs	pcs
IKT2	272	128	246	2,0	-	-

- S449
- 443U
- 2411U
- 4985U
- 446U
- S433
- 117U

1 size

## Jug



mm	mm	mm	mm	pcs	pcs	pcs
IKJ2	240	120	200	1,8	4	20

- S449
- 443U
- 4985U
- 2411U
- 446U
- S433

1 size

new

## Ibis



mm	mm	mm	mm	pcs	pcs	pcs
IKI2	255	127	236	2,0	-	-

- S449
- 443U
- 446U
- 2411U
- S433

1 size

## Spry



mm	mm	mm	pcs	pcs
ISO06	100	215	0,6	20
ISO12	120	245	1,2	10

- 623U
- S433

2 sizes



**Eos**

	mm	mm	mm	pcs	pcs	h	pcs
IKE015	291	110	222	1,5	30	420 ÷ 660	~1,75 m ~13860 ~2,70 m ~21780

S449 623U S433

1 size



**Koni**

	mm	mm	mm	pcs	pcs	h	pcs
IKON2	350	110	225	1,8	25	350 ÷ 550	~1,75 m ~11550 ~2,70 m ~18150
IKON5	500	150	300	4,5	12	120 ÷ 192	~1,76 m ~3960 ~2,73 m ~6336

623U G800 R200 S433

2 sizes



**Coubi**

	mm	mm	mm	pcs	pcs	pcs
IDUKON2	313	118	306	2,0	6	12 480

S449 623U S433

1 size



**Giraffe**

	mm	mm	mm	pcs	pcs
IKW2	334	140	326	1,5	12 672

CY728 623U S433

1 size



**Zebra**

	mm	mm	mm	pcs	pcs	pcs	h	pcs
IKZ02	352	102	224	2,0	-	20	280 ÷ 440	~1,75 m ~9240 ~2,70 m ~14520
IKZ05	540	140	290	5,0	10	-	120 ÷ 160	~1,90 m ~3960 ~2,50 m ~5280
IKZ10	553	174	365	10,0	8	-	80 ÷ 112	~1,95 m ~2640 ~2,60 m ~3696

623U S433

3 sizes



**Aqua**

	mm	mm	mm	pcs	pcs	h	pcs
IKA05	580	123	265	5,0	10	120 ÷ 180	~1,77 m ~3840 ~2,55 m ~5760
IKA10	650	157	360	10,0	8	80 ÷ 112	~1,95 m ~2560 ~2,60 m ~3584

361C

2 sizes







### Spring



	mm	mm	mm	pcs	pcs	h	pcs
IKSP02	380	108	235	2,0	-	÷	÷
<b>NEW size</b>						~ m	~
IKSP03	394	120	265	3,0	15	180 ÷ 270	~1,75 m ÷ ~2,54 m ~5940 ÷ ~8910
IKSP05	455	150	305	5,0	10	120 ÷ 160	~1,88 m ÷ ~2,60 m ~3960 ÷ ~5280
IKSP08	500	170	345	8,0	10	100 ÷ 140	~1,90 m ÷ ~2,60 m ~3300 ÷ ~4620
IKSP10	525	180	370	10,0	8	80 ÷ 112	~1,95 m ÷ ~2,60 m ~2640 ÷ ~3696
IKSP14	575	205	390	14,0	6	60 ÷ 84	~1,90 m ÷ ~2,68 m ~1920 ÷ ~2520

G642

5 sizes



### Classico



	mm	mm	mm	pcs	pcs	h	pcs
IKCL05	406	185	290	5,0	8	96 ÷ 128	~1,9 m ÷ ~2,5 m ~3072 ÷ ~4096
IKCL10	500	230	350	10,0	6	60 ÷ 84	~1,90 m ÷ ~2,60 m ~1980 ÷ ~2772

B68M

2 sizes



### Agri



	mm	mm	mm	pcs	pcs	h	pcs
IKAG75	605	160	370	7,5	10	80 ÷ 120	~1,70 m ÷ ~2,45 m ~2640 ÷ ~3960
IKAG100	635	180	400	10,0	8	64 ÷ 96	~1,75 m ÷ ~2,55 m ~2112 ÷ ~3168

S411

2 sizes



### Spring Rose



	mm	mm	pcs	pcs
ISIT	51	50	60	420 13440
ISIT1	61	60	50	600 10800

S411


116C

ISIT3	104	120	-	60 1920
-------	-----	-----	---	---------

S411

ISIT		Koni IKON2	Zebra IKZ02		
ISIT1		Koni IKON5	Spring IKSP03		
ISIT3		Zebra IKZ05 IKZ10	Spring IKSP05 / IKSP08 IKSP10 / IKSP14	Classico IKCL05 IKCL10	

3 sizes



### Gikabe



	mm	mm	mm	~7/10l	~5sec	-	pcs	pcs	pcs
IGIKA	400	260	450	~7/10l	~5sec	-	-	1	36

packaging size

S433

1 size

regular collection



# ARVĚS®



## waterform

RAINDROP FOR BETTER TOMORROW





set contains:  
1 x A1, 2 x A2  
1 x B1, 2 x B2

## Stone Block

ARVĒS	mm	mm	mm	pcs		
RSB270	1160	380	760	270	1	800x1200
RSB400	1160	380	1140	400	1	800x1200

The product does not include a metal faucet.

429U  4C

FINEST QUALITY

set  270 l  
CAPACITY

set contains:  
1 x A1, 1 x A2  
1 x B1, 1 x B2



4 x connection set

7 x connection set

**A1** 38 x 38 x 38 cm






**B1** 78 x 38 x 38 cm



**A2** 38 x 38 x 38 cm



**B2** 78 x 38 x 38 cm



Accessories recommended

Withdrawal set with hose 3/4" p. 39



not included

Illustrative drawing of the assembly of water tank component.

## Tower

ARVĒS	← mm	↘ mm	↑ mm	📄 pcs	📦 pcs	🏠 pcs
RWK260	575	390	1310	260	1	800x1200 4
RWK720	790	590	1800	720	1	800x1200 2

The product does not include a metal faucet.

431UG

FINEST QUALITY



## Boxy

ARVĒS	← mm	↘ mm	↑ mm	📄 pcs	📦 pcs	🏠 pcs
RWB270	765	380	1090	270	1	800x1200 6
RWB720	1145	515	1360	720	1	1200x1200 2

The product does not include a metal faucet.

431UG

FINEST QUALITY



## Freze

ARVĒS	∅ mm	↑ mm	📄 pcs	📦 pcs	🏠 pcs
RWW290	580	1205	290	1	1200x1200 8
RWW410	630	1450	410	1	800x1200 2

The product does not include a metal faucet.

431UG

FINEST QUALITY



## Novara

ARVĚS	Ø mm	↑ mm	↓ mm	📄 pcs	🚚 1200x1200	🏠 8
RNV280	570	1170	280	1	1200x1200	8
<div style="display: flex; justify-content: space-between;"> <span>B411</span> <span>S433</span> <span>7529U</span> </div> <div style="display: flex; justify-content: space-between;"> <span>S443</span> <span>2088U</span> <span>4C SPECIAL ORDER</span> </div>						
RNV500	570	2100	500	1	1200x1200	4
<div style="display: flex; justify-content: space-between;"> <span>B411</span> <span>S433</span> </div>						

The product does not include a metal faucet.  
FINEST QUALITY

280 l  
CAPACITY



500 l  
CAPACITY



## Alana

ARVĚS	Ø mm	↑ mm	↓ mm	📄 pcs	🚚 1200x1200	🏠 8
RALA160	545	1160	160	1	1200x1200	8
<div style="display: flex; justify-content: space-between;"> <span>S433</span> <span>S443</span> <span>7529U</span> </div>						

The product does not include a metal faucet.

FINEST QUALITY

160 l  
CAPACITY



## Rainbowl

ARVĚS	Ø mm	↑ mm	↓ mm	📄 pcs	🚚 1200x1200	🏠 8
RRA210	600	1100	210	1	1200x1200	8
<div style="display: flex; justify-content: space-between;"> <span>S433</span> <span>S443</span> <span>7529U</span> </div>						

The product does not include a metal faucet.

FINEST QUALITY

210 l  
CAPACITY



## Rainbowl Flower

ARVĚS	Ø mm	↑ mm	↓ mm	📄 pcs	🚚 1200x1200	🏠 8
RRAF150	600	1100	150	1	1200x1200	8
<div style="display: flex; justify-content: space-between;"> <span>S433</span> <span>S443</span> <span>7529U</span> </div>						

The product does not include a metal faucet.

FINEST QUALITY

150 l  
CAPACITY



## Evergreen

ARVĒS	mm	mm	mm	pcs		
REV475	780	700	1200	475	1	800x1200

The product does not include a metal faucet.

440U

FINEST QUALITY



## Evergreen Lite

ARVĒS	mm	mm	mm	pcs		
REL300	780	480	1200	300	1	800x1200

The product does not include a metal faucet.

440U

FINEST QUALITY



## Little Tree

ARVĒS	mm	mm	mm	pcs		
RLT250	770	580	1050	250	1	800x1200

The product does not include a metal faucet.

440U

FINEST QUALITY



## Norway

ARVĒS	mm	mm	mm	pcs		
RNO230	580	420	1370	230	1	800x1200

The product does not include a metal faucet.

440U

FINEST QUALITY







## Helena

ARVĒS	∅ mm	↑ mm	↓ mm	↓ pcs	↔ mm	↑ mm
RHEL300	780	1200	300	1	800x1600	4

The product does not include a metal faucet.

R736

FINEST QUALITY



300 l  
CAPACITY

## Trentino

ARVĒS	∅ mm	↑ mm	↓ mm	↓ pcs	↔ mm	↑ mm
RTR275	780	1000	275	1	800x1200	5

The product does not include a metal faucet.

R736

S433

FINEST QUALITY



275 l  
CAPACITY

## Jumbo

ARVĒS	↔ mm	↗ mm	↑ mm	↓ pcs	↔ mm	↑ mm
RJU800	800	600	1800	800	800x1200	2

The product does not include a metal faucet.

B411 431UG G851

SPECIAL ORDER

7501U

FINEST QUALITY



800 l  
CAPACITY

## Modena

ARVĒS	mm	mm	mm	pcs		
RMO100	380	380	1000	100	1	-
RMO200	575	575	1200	200	1	1200x1200
RMO350	690	690	1215	350	1	-

The product does not include a metal faucet.

S433

S443

SPECIAL ORDER RMO200

7529U

FINEST QUALITY



## Insert

ARVĒS	mm	mm
ROKO230	230	165

S449



## Maurano

ARVĒS	mm	mm	mm	pcs		
RMU300	840	400	1180	300	1	1200x1200

The product does not include a metal faucet.

429U

4C

7501U

FINEST QUALITY



300 l  
CAPACITY

## Arcado

ARVĒS	mm	mm	mm	pcs		
RAR230	600	1050	230	1	1200x1200	8
RAR360	600	1650	360	1	1200x1200	4
RAR460	600	2000	460	1	1200x1200	4

The product does not include a metal faucet.

429U

4C

7501U

FINEST QUALITY



360 l  
CAPACITY

460 l  
CAPACITY

230 l  
CAPACITY

200 l  
CAPACITY

NEW SIZE

350 l  
CAPACITY

100 l  
CAPACITY

NEW SIZE

## Concrete

ARVĒS	mm	mm	mm	pcs	800x1200	
RCO200	780	250	1050	200	1	6

The product does not include a metal faucet.

422U

FINEST QUALITY



## Noblesse

ARVĒS	mm	mm	mm	pcs	800x1200	
RNB275	790	410	1050	275	1	6

The product does not include a metal faucet.

S433 429U

FINEST QUALITY



## Barletta

ARVĒS	mm	mm	mm	pcs	800x1200	
RBA280	800	400	1200	280	1	5

The product does not include a metal faucet.

S433 429U G851

SPECIAL ORDER

2088U 2260C

FINEST QUALITY



## Freze



ARVĒS mm mm mm pcs

RTWF 530 374 1025 - 800x1200 6

431UG

## Natura



ARVĒS mm mm mm pcs

RTWN 240 240 980 - 800x1200 27

S433 4C

## Poller



ARVĒS mm mm mm pcs

RTWP 240 240 900 - 800x1200 27

S433 4C

## Romana



ARVĒS mm mm mm pcs

RTWR 260 260 1100 - 800x1200 12

S433 4C

## Forest



ARVĒS mm mm mm pcs

RTWO 200 260 1000 - 800x1200 33

440U

Water supply point with a tap allows the user to draw water in the garden easily and conveniently.



Chrom Tap 3/4"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RTAPI	140	230	-	-	-
FINEST QUALITY					
silver					



Brass Tap 3/4"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RTAPI	140	230	-	-	-
FINEST QUALITY					
gold					



Closed Tank Connection Kit

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS1	235	280	-	-	-
FINEST QUALITY					
7015					



Overflow Elbow 3/4"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS2	140	230	-	-	-
FINEST QUALITY					
7015					



Hose Adapter

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS3	140	230	-	-	-
FINEST QUALITY					
7015					



Hose Adapter 3/4"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS4	140	230	-	-	-
FINEST QUALITY					
7015					




Hose Valve 1"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS5	140	230	-	-	-
FINEST QUALITY					
7015					



Tap Valve 1"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS6	140	240	-	-	-
FINEST QUALITY					
7015					



Connection Kit 1"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS7	235	435	-	-	-

FINEST QUALITY

7015



Connection Kit 3/4"

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS8	235	435	-	-	-

FINEST QUALITY

7015



Easy Fix

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS9	235	435	-	-	-

FINEST QUALITY

7015



Rain Collector SET with Tap

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS10	235	435	-	-	-

FINEST QUALITY

7015



Rain Collector with Tap

ARVĚS	← mm	↑ mm	↘ mm	📦 pcs	📦 pcs	📦 pcs
RCANS11	195	120	175	-	-	-

FINEST QUALITY

7015 7037 8011




Easy Fix Comfort

ARVĚS	← mm	↑ mm	📦 pcs	📦 pcs	📦 pcs
RCANS12	245	435	-	-	-

FINEST QUALITY

7015

Plug



ARVĚS	∅ mm	↑ mm	↓ mm	⊞ pcs	⊞ pcs	⊞ pcs
RPL50	51	11	-	-	-	-
RPL100	96	11	-	-	-	-



Water collector with mesh filter

ARVĚS	→ mm	↑ mm	↘ mm	⊞ pcs	⊞ pcs	⊞ pcs
RCANS13	238	145	275	-	-	-

FINEST QUALITY

7015 7037 8011




Withdrawal set with hose

ARVĚS	→ mm	↑ mm	⊞ pcs	⊞ pcs	⊞ pcs
RCANS14	2000	22/28	-	-	-

FINEST QUALITY





Filter with valve




A valve fitted with a mesh filter, engineered to remove impurities within an internal basket.



Hose valve 1"




Threaded valve - Designed for rainwater collectors without the need for gutter disassembly.



Rain collector with tap



Rainwater harvesting kit from the gutter equipped with a basket filter and an additional valve for winter mode switching (on-off)



Rain collector



Rainwater downpipe filter  
Efficient rainwater scoop, mounted directly on the downpipe, it filters and redirects water to the tank.





320 l  
CAPACITY



700 l  
CAPACITY



1000 l  
CAPACITY

## Gubo

	mm	mm	mm	pcs		
IDGU320	580	580	1180	320	- 1200x1200	8
IDGU700	792	792	1367	700	- 800x1600	3
IDGU1000	792	792	1960	1000	- 800x1600	2

The product does not include a metal faucet.

429U

S433



different  
finish  
on both sides

back

front

250 l  
CAPACITY

## Multitank

	mm	mm	mm	pcs		
IMU250	790	380	1050	250	1 800x1200	6

422U

429U

S433

FINEST QUALITY



different  
finish  
on both sides

back

front

250 l  
CAPACITY

## Multitank

	mm	mm	mm	pcs		
IMK250	790	380	1050	250	1 800x1200	6

422U

429U

S433


FINEST QUALITY

## Tower Stone

	mm	mm	mm	pcs		h	pcs
IDTST350	575	384	1800	350	1	800x1200	4
							~1,95 m ~132
IDTST500	775	583	1300	500	1	800x1200	2
							~1,45 m ~66
					1	800x1200	4
							~2,75 m ~132

429U S433

FINEST QUALITY



## Tower Brick

	mm	mm	mm	pcs		h	
IDTB350	575	384	1800	350	1	800x1200	
							4

S433 7587U

FINEST QUALITY



## Wall Stone

	mm	mm	mm	pcs		h	
IDWS400	1180	300	1840	400	1	-	
							-

429U S433

FINEST QUALITY



650 l  
CAPACITY



350 l  
CAPACITY

450 l  
CAPACITY


## Aqua Tower

	mm	mm	mm	pcs			h	pcs
IDTC350	775	383	1350	350	1	800x1200	3	~1,50 ~99
IDTC450	775	573	1150	450	1	800x1200	4	~1,88 ~99
IDTC650	775	573	1650	650	1	800x1200	2	~2,45 ~132
								~1,80 ~66

429U

S433

FINEST QUALITY



NEW



400 l  
CAPACITY

## Aqua Wall

	mm	mm	mm	pcs		
IDAW400	1180	300	1840	400	1	-

429U

S433

FINEST QUALITY

## Aquabell

	mm	mm	mm	pcs		
IDAB110S	570	1045	110	1	1200x1200	8
IDAB200S	580	1270	200	1	1200x1200	8

The product does not include a metal faucet.

429U

S433



200 l  
CAPACITY




## Tenso

	mm	mm	mm	pcs		
IDT120S	396	396	1305	120	-	800x1200 8

The product does not include a metal faucet.

429U

S433



120 l  
CAPACITY




## Vuelta

	mm	mm	mm	pcs		
IDV110S	396	396	1305	110	1	800x1200 8

The product does not include a metal faucet.

429U

S433



110 l  
CAPACITY



# Botaqua

	mm	mm	mm	pcs	pcs	pcs
IDB250	652	930	250	1	800x1300	4
IDB430	795	1062	430	1	800x1200	2

The product does not include a metal faucet.

440U



# Aquacan Baby

	mm	mm	mm	mm	pcs	pcs	h	pcs	
ICAN210	596	560	1183	210	1	800x1200	2	~1,28 m	~66
						1200x1200	8	~2,41 m	~176

R736

S443

S433



# Aquacan

	mm	mm	mm	mm	pcs	pcs	h	pcs	
ICAN360	800	720	1200	360	1	800x1200	1	~1,35 m	~33
						800x1200	3	~2,10 m	~84

R736

S443

S433



# Aquacan

	mm	mm	mm	mm	pcs	pcs	h	pcs	
ICAN440	820	760	1280	440	1	800x1200	1	~1,41 m	~33
						800x1200	2	~2,67 m	~66

R736

S443

S433



## Maze

W	Ø	↑	↓	↓	↓	↓	↓	↓	↓
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
IDMZ240	593	1140	240	1	800x1200	6			
S443	S433								



## Tube

W	Ø	↑	↓	↓	↓	↓	↓	↓	↓
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
IDM230	593	1095	230	1	800x1200	6	~2,13 m	~198	
R736	S433				800x1200	8	~2,57 m	~264	



## Canyon

W	→	↘	↑	↓	↓	↓	↓	↓	↓
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
ION310	680	680	1177	310	1	800x1200	2	~1,40 m	~66
S433						800x1200	4	~2,60 m	~132



## Wallycan

W	→	↘	↑	↓	↓	↓	↓	↓	↓
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
IDWA270	731	602	1278	270	1	800x1200	2	~1,43 m	~66
R736	S433					800x1200	4	~2,70 m	~132



## Woodcan

W	Ø	↑	↓	↓	↓	↓	↓	↓	↓
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
IDWO265	648	1128	265	1	800x1200	8	~2,06 m	~264	
S411	R222				800x1200	12	~2,60 m	~396	



## Raincan

W	Ø	↑	↓	↓	↓	↓	↓	↓	↓
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
IDRA210	648	928	210	1	800x1200	8	~1,90 m	~264	
S411					800x1200	4	~2,60 m	~462	

## Smooth

	mm	mm	pcs	pcs	h	pcs
IDSM160	600	878	160	800x1200	30	~1,88 m ~990
				800x1200	46	~2,35 m ~1518
IDSM200	600	1066	200	800x1200	26	~1,92 m ~858
				800x1200	40	~2,35 m ~1320
<div style="display: flex; justify-content: space-around;"> <span>429U</span> <span>S433</span> </div>						
IDSM210	753	865	210	800x1200	45	~1,86 m ~1485
<div style="display: flex; justify-content: space-around;"> <span>429U</span> <span>S433</span> <span>G851</span> </div>						

200 l  
CAPACITY

160 l  
CAPACITY

210 l  
CAPACITY



## Peruno

	mm	mm	pcs	pcs	h	pcs
IDPE260	720	965	260	800x1200	18	~1,88 m ~594
				800x1200	30	~2,45 m ~990
<div style="display: flex; justify-content: space-around;"> <span>429U</span> <span>S433</span> </div>						

260 l  
CAPACITY



## Peruno Set

	mm	mm	pcs	pcs	h	pcs
IDPE260S	720	1260	260	800x1200	2	~1,70 m ~66
				800x1200	3	~2,30 m ~99
<div style="display: flex; justify-content: space-around;"> <span>429U</span> <span>S433</span> </div>						

260 l  
CAPACITY



3in1  
STANDARD SET

Connection Set & Base Inside



Full Filter Connection Set No. 7



set contains:



5 psc



NEW

## Modular Basecan Set



IBAS5S	640	215	1	96
--------	-----	-----	---	----

S433

base for rainwater tank  
the set allows for the creation of one base with three diameters  
bases with a diameter of 35,7 cm - 44,5 cm,  
42 cm-48,6 cm and 45 cm- 51,4 cm

10 psc

B - type connectors



option:

B  
Ø 35,7 - 44,5 cm

10 psc

C - type connectors



option:

C  
Ø 42,0 - 48,6 cm

10 psc

D - type connectors



option:

D  
Ø 45,0 - 51,4 cm

set contains:



7 psc



NEW

## Modular Basecan Set



IBAS6S	770	215	1	72
--------	-----	-----	---	----

S433

base for rainwater tank  
the set allows for the creation of one base with two diameters  
bases with a diameter of 47 cm - 55,6 cm and 60 cm - 67,3 cm

12 psc

E - type connectors



option:

E  
Ø 47,0 - 55,6 cm

14 psc

F - type connectors



option:

F  
Ø 60,0 - 67,3 cm

step 1.



step 2.





## Basecan




	mm	mm	pcs	pcs
--	----	----	-----	-----

IBAS	512	230	-	72
------	-----	-----	---	----

S433

complete your set:  
IDWA270, ION310, IDWO265, IDRA210, ICAN210, ICAN360

## Basecan



	mm	mm	pcs	pcs
--	----	----	-----	-----

IBAS2	608	310	-	60
-------	-----	-----	---	----

S433

complete your set:  
IDWA270, IDWO265, IDRA210, ICAN210, ICAN360, ICAN440, IDET200, IDSM160, IDSM200, IDSM210, IDM230, IDMZ240, IDPE260

## Tanker




	mm	mm	mm	pcs	pcs
--	----	----	----	-----	-----

ITWTAN	240	240	900	-	23
--------	-----	-----	-----	---	----

7541U S433

NEW

## Ican Belt



	mm	mm	mm	pcs	pcs	pcs
--	----	----	----	-----	-----	-----

ICANB1	120	20	180	1	-	-
--------	-----	----	-----	---	---	---

Strap securing the rainwater tank

## Cantap



	mm	mm	mm	pcs	pcs	pcs
--	----	----	----	-----	-----	-----

ITAP1	150	40	160	1	40	4480
-------	-----	----	-----	---	----	------

Accessories for Rainwater Tank Collection

874C S411



## Cantap



	mm	mm	mm	pcs	pcs	pcs
--	----	----	----	-----	-----	-----

ITAP2	150	40	160	1	40	4480
-------	-----	----	-----	---	----	------

Accessories for Rainwater Tank Collection

874C S411

## Tap





	mm	mm	mm	pcs	pcs	pcs
--	----	----	----	-----	-----	-----

ITAP3	150	40	160	1	40	2560
-------	-----	----	-----	---	----	------

Accessories for Rainwater Tank Collection

silver gold





## ICANSET 1




ICANS1 315 50 280 1 12 288

Connection Set No. 1

The connection is suitable for ARVĚS products.  
The connection is suitable for Waterform products.



## ICANSET 3



ICANS3 180 50 230 1 65 1560

Accessories Set No. 3

The accessories are suitable for ARVĚS products.  
The accessories are suitable for Waterform products.



## ICANSET 4



ICANS4 180 45 230 1 90 2160

Accessories Set No. 4

The accessories are suitable for ARVĚS products.  
The accessories are suitable for Waterform products.



## ICANSET 5



ICANS5 300 40 370 1 25 600

Water Dispenser Connection Set No. 5

The connection is suitable for ARVĚS products.  
The connection is suitable for Waterform products.



## ICANSET 6



ICANS6 300 55 370 1 20 480

Connection Set No. 6

The connection is suitable for ARVĚS products.  
The connection is suitable for Waterform products.



## ICANSET 7



ICANS7 400 70 290 1 15 360

Full Filter Connection Set No. 7

The accessories are suitable for ARVĚS products.  
The accessories are suitable for Waterform products.





## ICANSET 8



ICANS8 300 50 370 1 25 600

Connection Set No. 8

The connection is suitable for ARVĚS products.  
The connection is suitable for Waterfrom products.



## Outer Filter



IFILZ 180 70 210 1 60 1440

Connecting Outer Filter

The connection is suitable for ARVĚS products.  
The connection is suitable for Waterfrom products.



## Gutter Filter Set




IFILWS 300 120 360 1 10 240

Connection Gutter Filter

The connection is suitable for ARVĚS products.  
The connection is suitable for Waterfrom products.



## Gutter Filter 1




IFILW1 300 120 360 1 18 432

Gutter Filter

Universal filter for all gutter types  $\varnothing$  76 - 112 MM

catch rain water for outdoor chores



Connection Gutter Filter



Gutter Filter

universal filter  
for all gutter  
types

## Unground R-1000

1000 l  
CAPACITY



set contains:



	mm	mm	mm		kg	pcs
RUT1000	1850	900	1190	1000	~50	~30
RUT1000C	1850	900	1190	1000	~50	~30

S411

443U

## Unground R-2000

2000 l  
CAPACITY



set contains:



	mm	mm	mm		kg	pcs
RUT2000	2200	1200	1490	2000	~85	~24
RUT2000C	2200	1200	1490	2000	~85	~24

S411

443U

## Unground R-3000

3000 l  
CAPACITY



set contains:



	mm	mm	mm		kg	pcs
RUT3000	2400	1370	1640	3000	~110	~10
RUT3000C	2400	1370	1640	3000	~110	~10

S411

443U

## Unground R-5000

5000 l  
CAPACITY



set contains:



	mm	mm	mm		kg	pcs
RUT5000	2400	2400	1480	5000	~200	~10
RUT5000C	2400	2400	1480	5000	~200	~10

S411

443U

## Unground R-7000

7000 l  
CAPACITY



set contains:



	mm	mm	mm		kg	pcs
RUT7000	3280	2400	1520	7000	~295	~8
RUT7000C	3280	2400	1520	7000	~295	~8

S411

443U



waterform collection




## Unground R-Drain 150

	← mm	↘ mm	↑ mm	📄 pcs	📦 kg	🚚 pcs
RUR150	1200	760	330	150	~8	30



## Unground R-Drain

	← mm	↘ mm	↑ mm	📄 pcs	📦 kg	🚚 pcs
RUR500	1200	1200	950	500	~20	5 MAX PAL
RUR1000	1400	1400	1250	1000	~40	5 MAX PAL



## Unground Cover

	← mm	↘ mm	↑ mm	📄 pcs	🚚 h
RUC400	510	510	30	120	~1,23 m
RUC600	710	710	30	60	~1,24 m



## Unground Extension

	← mm	↘ mm	↑ mm	📄 set	🚚 h
RUE400	510	510	210	20	~2,15 m
RUE600	710	710	210	20	~2,15 m




## Unground Filter

	← mm	↘ mm	↑ mm	📄 pcs	📄 pcs	📄 pcs	🚚 h
RUF	305	305	240	-	25	150	~1,35 m



## Unground Accessories

	← mm	↘ mm	↑ mm	📄 set	📄 pcs	📄 pcs	🚚 h
RUA1	510	620	210	1	5	30	~1,92 m



## Unground Pipe R

	← mm	↘ mm	↑ mm	set
RUP1000	2000	110	110	4
RUP2000	2000	110	110	4



## Unground Pipe RD-2000

	← mm	↘ mm	↑ mm	set
RUD2000	2000	110	110	1

# Garden offer





# GARDEN CELLAR



Ovo

	mm	mm	mm	
ROV	3570	2200	2600	7500

4C



Underground pantry

regular collection





**Load&go**

	mm	mm	mm	pcs	pcs	pcs
IW055C	500	610	840	55	-	44
IW055Z	500	610	840	55	-	44

IW055C - black  
IW055Z - green

**S411** **370U**

1 sizes



**Load&go II**

	mm	mm	mm	pcs	pcs	pcs
IW085C	790	570	715	85	-	36
IW085Z	790	570	715	85	-	36

IW085C - black  
IW085Z - green

**S411** **370U**

1 sizes



**Load&go III**

	mm	mm	mm	pcs	pcs	pcs
IW095C	840	575	925	95	-	20
IW095Z	840	575	925	95	-	20

IW095C - black  
IW095Z - green

**S411** **370U**

1 sizes



**Wheeler**

	mm	mm	mm	pcs	pcs	pcs
NBWB90	583	394	783	90	-	32
NBWB95*	540	496	762	95	-	16
NBWB110*	540	496	852	110	-	16

Lid not assembled  
\*solid & durable metal axis

**S411**

3 sizes



**Smooth**

	mm	mm	mm	pcs	pcs	
IDSM80U	565	464	650	80,0	-	42
IDSM120U	696	594	670	120,0	-	28
IDSM160U	695	600	878	160,0	-	22

**S411** **429U**

3 sizes





**Rake Loader**

	mm	mm	mm	pcs	pcs
ILG2	385	145	380	10	*240

\*not assembled

**S411**

1 size



**Bear Paw**

	mm	mm	mm	kpl	kpl
IGLIS1	390	70	520	12kpl	144kpl

**370U**

1 size

**Multi Holder**

	mm	mm	mm	kg	pcs	pcs	pcs
IWN1	310	98	70	7	5	40	720

**405U**

1 size

**Multi Holder**

	mm	mm	mm	kg	pcs	pcs	pcs
IWN2	597	128	118	15	4	20	200

**405U**

1 size



**Focus**

	mm	mm	mm	pcs	pcs	pcs
IGR2	460	170	1650	5	50	800

\*not assembled

- R585
- G642

1 size




**Focus Baby**

	mm	mm	mm	pcs	pcs	pcs
IBDG	217	155	710	-	20	2240

\*not assembled

- 361C
- 3005U
- 1788C

1 size




**Expert**

	mm	mm	mm	pcs	pcs	pcs
IGR3	496	420	1820	-	25	300

\*not assembled

- R585
- G642
- S433

1 size



**Expert Alu**

	mm	mm	mm	pcs	pcs	pcs
IGR3A	496	420	1950	-	25	300

\*not assembled

- R585
- G642
- S433

1 size



**Load Baby**

	mm	mm	mm	pcs	pcs	pcs
IBLD	194	198	740	-	20	1200

\*not assembled

- 361C
- 3005U
- 1788C

1 size



**Load Baby Alu**

	mm	mm	mm	pcs	pcs	pcs
IBLA	194	198	715	-	48	384

\*not assembled

- 361C
- 3005U
- 1788C

1 size





### Woodebox


	mm	mm	mm	pcs	pcs	pcs
MBWL140	585	460	550	140	-	1 56
MBWL190	780	438	550	190	-	1 43
MBWL280	1160	438	550	280	-	1 28

Pattern inspired by wood texture.  
Lid with loop for padlock.



440U S433

3 sizes



### Boardebox

	mm	mm	mm	pcs	pcs	pcs
MBBL190	780	433	550	190	-	1 43
MBBL280	1160	433	550	280	-	1 28

Lid with loop for padlock.



440U S433

2 sizes



### Boxe Matuba

	mm	mm	mm	pcs	pcs	pcs
MBM310	1190	480	600	310	1	1 27

Wheels for comfortable use.



440U S433


1 size



### Boxe Rato


	mm	mm	mm	pcs	pcs	pcs
MBR310	1190	480	600	310	1	1 27

Wheels for comfortable use.  
Lid with loop for padlock.



440U S433

1 size



### Boxe Rato Plus

	mm	mm	mm	pcs	pcs	pcs
MBRP290	1140	470	594	290	1	1 24

Wheels for comfortable use.  
Lid with loop for padlock.



440U S433

1 size



### Boxe Board

	mm	mm	mm	pcs	pcs	pcs
MBBD290	1166	470	595	290	1	1 21

Wheels for comfortable use.  
Lid with loop for padlock.









440U S433

1 size



**Lottie**

	 mm	 mm	 mm	 pcs	 pcs	 pcs
FLOS445	396	396	465	-	-	90
FLOS866	770	590	565	-	-	30
FLOS888	775	775	765	-	-	12

7535C 443U 433C 4193C

3 sizes



**Uniqubo**

	mm	mm	mm	pcs	pcs	pcs
IKUB20	337	292	20	4	-	168
IKUB35	390	400	35	4	-	120
IKUB55	447	450	55	4	-	48

S433

3 sizes



**Uniqubo**

	mm	mm	mm	pcs	pcs	pcs
IKUB55TP	447	450	55	4	-	32

S433

1 size



**Uniqubo**

	mm	mm	mm	pcs	pcs	pcs
IKUB20T	337	292	20	4	-	84
IKUB35T	390	400	35	4	-	72
IKUB55T	447	450	55	4	-	32

S433

3 sizes



**Uniqubo Set 3**

	mm	mm	mm	pcs	pcs	pcs
IKUBS3	447	450	-	-	1 kpl.	16

S433

1 size



**Uniqubo Set 5**

	mm	mm	mm	pcs	pcs	pcs
IKUBS5	447	570	-	-	1 kpl.	12

S433

1 size



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU25	335	330	25	5	- 315
ICLU35	386	358	35	5	- 240
ICLU50	450	410	50	5	- 90
ICLU100	590	455	100	5	- 60

S433

4 sizes



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU15	386	358	-	-	1 kpl. 30

S433

1 size



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU25	450	410	32	-	1 kpl. 12

S433

1 size



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU35	590	455	-	-	1 kpl. 8

S433

1 size



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU25T	335	330	25	5	- 105
ICLU35T	386	358	35	5	- 90
ICLU50T	450	410	50	5	- 45
ICLU100T	590	455	100	5	- 30

S433

4 sizes



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU45	590	455	-	-	1 kpl. 8

S433

1 size



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU25T	386	358	-	-	1 kpl. 24

S433

1 size



**Clubo**

	∅ mm	↑ mm	📄 pcs	📦 pcs	📦 pcs
ICLU35T	590	455	-	-	1 kpl. 6

S433

1 size



### Clubo



	mm	mm	mm	pcs	pcs	pcs
ICLUE30	440	298	370	30	4	168
ICLUE55	570	348	456	55	4	112

S433

2 sizes

### Clubo Set



	mm	mm	mm	pcs	pcs	pcs
ICLUE1S	570	348	456	30+55	1 kpl.	16

S433

1 size

### Clubo



	mm	mm	mm	pcs	pcs	pcs
ICLUE30T	440	298	375	30	4	72
ICLUE55T	570	348	456	55	4	48

S433

2 sizes

### Clubo Set



	mm	mm	mm	pcs	pcs	pcs
ICLUE1ST	570	348	456	30+55	1 kpl.	14

S433

1 size

### Zanzi Basket



	mm	mm	mm	pcs	pcs	pcs
IKPIR 380	374	402	25	3	-	108
IKPIR 430	430	463	40	5	-	60

S433

750IU

2 sizes

### Zoe Basket



	mm	mm	mm	pcs	pcs	pcs
IKPIO370	364	359	25	5	-	210
IKPIO430	419	408	40	5	-	100

S433

750IU

2 sizes

### Umbrella Base



	mm	mm	mm	pcs	pcs	pcs
MPOD	390	130	10,0	8	-	72

S449

440U

G851

1 size

### Umbrella Base



	mm	mm	mm	pcs	pcs	pcs
MPOR	390	130	10,0	8	-	72

S449

440U

S433

1 size

### Umbrella Base



	mm	mm	mm	pcs	pcs	pcs
MPKD	390	390	130	12,0	8	72

S449

440U

G851

1 size

### Umbrella Base



	mm	mm	mm	pcs	pcs	pcs
MPKR	390	390	130	12,0	8	72

S449

440U

S433

1 size



**Palisada**

	mm	mm	pcs	pcs	pcs
IPAK1	3827	115/12	-	1 kpl.	216

R222 405U Total ~ 3,8 m 1 size



**Palisada**

	mm	mm	pcs	pcs	pcs
IPAK2	3834	115/12	-	1 kpl.	192


R222 405U Total ~ 3,8 m 1 size



**Palisada**

	mm	mm	pcs	pcs	pcs
IPAL6	3020	100	-	1 kpl.	70

R624 R222 Total ~ 3,02 m 1 size



**Palisada**

	mm	mm	pcs	pcs	pcs
IPAL7	4050	60	-	1 kpl.	78

R624 R222 S443 Total ~ 4,05 m 1 size



**Palisada border**

	mm	mm	pcs	pcs	pcs
IPBO	2500	228/130	-	1 kpl.	168

R624 R222 Total ~ 2,5 m 1 size



**Palisada**

	mm	mm	pcs	pcs	pcs
IPALPLUS	2350	250/150	-	1 kpl.	64

R624 R222 Total ~ 2,4 m 1 size






**Palisada**

	mm	mm	pcs	pcs	pcs
IPAL5	2700	240/155	-	1kpl.	60


R624 R222 S443 Total ~ 2,7 m 1 size



**Garden Stone**

	mm	mm	pcs	pcs	pcs
IBST	3900	187	-	1kpl.	160

422U S433 1 size



**Garden Border**

	mm	mm	pcs	pcs	pcs
IBRA	3900	186,5	-	1kpl.	198

R624 R222 405U Total ~ 3,9 m 1 size



**Garden Border**

	mm	mm	pcs	pcs	pcs
IBWI	3900	186,5	-	1kpl.	198

R222 405U Total ~ 3,9 m 1 size



**Garden Fence**

	mm	mm	pcs	pcs	pcs
IKRR	5950	160	-	1kpl.	136


R222 G851 Total ~ 5,9 m 1 size



**Garden Line**

	mm	mm	pcs	pcs	pcs
IKRA	10000	90	-	1kpl.	70

R624 R222 G851 Total ~ 10 m 1 size



**Garden Classic**

	mm	mm	pcs	pcs	pcs
IPŁSU	3220	350	-	1kpl./22kpl.	308
IPŁSU2	3600	520	-	1kpl./10kpl.	120

S449 R624 R222 Total ~ 3,2 m Total ~ 3,5 m 2 sizes

### Drab

	mm	mm	pcs	pcs
IDR1	160	380	10/100	7800
IDR2	183	500	10/100	5000
IDR3	185	560	10/100	5200
IDR4	200	670	10/100	2800

R222 S433



4 sizes

### Transporter

	mm	mm	pcs	pcs	pcs
ITW	90	240/55	-	48	1440



color mix

S411 R175 R444 G642 B333

1 size

### Base Woody

	mm	mm	mm	pcs	pcs	pcs
IBWS	756	756	250	-	1 kpl.	52

7587U S433 4665W



1 size



### Base Woody

	mm	mm	mm	pcs	pcs	pcs
IBWR	1492	756	250	-	1 kpl.	34

7587U S433 4665W



1 size



### Base Woody

	mm	mm	mm	pcs	pcs	pcs
IBWH	1480	1290	250	-	1 kpl.	34

7587U S433 4665W



1 size






**Border 0645**

	mm	mm	mm	pcs	pcs	pcs
IB0645	4800	84	45	-	1kpl.	117

S411

Total ~ 4,8 m 1 size



**Border 1045**

	mm	mm	mm	pcs	pcs	pcs
IB1045	8000	84	45	-	1kpl.	72

S411

Total ~ 8 m 1 size



**Border 1057**

	mm	mm	mm	pcs	pcs	pcs
IB1057	8000	84	57	-	1kpl.	56

S411

Total ~ 8 m 1 size



**Harpoon peg 120**

	mm	mm	mm	pcs	pcs	pcs
IHR12050	44	37	125	50	10kpl.	320

S411

1 size



**Harpoon peg 200**

	mm	mm	mm	pcs	pcs	pcs
IHR20050	67	38	209	-	50	176

S411

1 size



### Sharkie




	mm	mm	mm	mm	pcs	pcs	pcs
ISSS	99	290	65	0,7	-	40	720

G642

B333

1 size

### Plant



	mm	mm	mm	m <sup>2</sup>	pcs	pcs	
IKP2C	600	400	33	1,1	1 kpl.	40	Total 1,1 m <sup>2</sup>
IKP2C1	600	400	33	-	-	200	

S411

1 size

### Pad




	mm	mm	mm	m <sup>2</sup>	pcs	pcs
IKRT1	600	200	25	0,95	1 kpl.	72

R222

Total 0,95 m<sup>2</sup>

1 size

### Easy square



	mm	mm	mm	m <sup>2</sup>	pcs	pcs
IES40	400	400	20	1,5	1 kpl.	52

S411

Total 1,5 m<sup>2</sup>

1 size

### Mosaic



	mm	mm	mm	m <sup>2</sup>	pcs	pcs	pcs
IAK401	397	397	10	-	-	32	960

S411

G851

1 size

### Mosaic Edge



	mm	mm	mm	m <sup>2</sup>	pcs	pcs	pcs
IOL40	380	50	10	-	20	200	6400

S411

G851

1 size



new  
Compobox









						
	mm	mm	mm	pcs	pcs	
IKCB310	720	715	766	310,0	1	-

S411

1 size

new  
Compobox




						
	mm	mm	mm	pcs	pcs	
IKLC310C	720	715	766	310,0	1	-

S411

1 size

new  
Compobox









						
	mm	mm	mm	pcs	pcs	
IKCB350	735	733	816	350,0	1	-

S411

1 size

new  
Compobox



						
	mm	mm	mm	pcs	pcs	
IKLC350C	735	733	816	350,0	1	-

S411

1 size



**Evogreen Vario**

	mm	mm	mm			pcs
IKEV450C	915	950	830	450,0	1 kpl.	16

S411

1 size



**Evogreen Vario**

	mm	mm	mm			pcs
IKEL450C	915	950	830	450,0	1 kpl.	16

S411

1 size



**Evogreen Vario**

	mm	mm	mm			pcs
IKEV750C	915	950	1200	750,0	1 kpl.	11

S411

1 size



**Evogreen Vario**

	mm	mm	mm			pcs
IKEL750C	915	950	1200	750,0	1 kpl.	12

S411

1 size



**Evogreen Vario**

	mm	mm	mm			pcs
IKEV1050C	915	950	1570	1050,0	1 kpl.	9

S411

1 size



**Evogreen Vario**

	mm	mm	mm			pcs
IKEL1050C	915	950	1570	1050,0	1 kpl.	11

S411

1 size



**Compostgreen Vario**

	mm	mm	mm	L	kg	pcs
IKST650C	915	950	870	650,0	1kpl.	10

S411

1 size



**Compostgreen Vario**

	mm	mm	mm	L	kg	pcs
IKL650C	915	950	870	650,0	1kpl.	10

S411

1 size



**Compostgreen Vario**

	mm	mm	mm	L	kg	pcs
IKST950C	915	950	1240	950,0	1kpl.	9

S411

1 size



**Compostgreen Vario**

	mm	mm	mm	L	kg	pcs
IKL950C	915	950	1240	950,0	1kpl.	9

S411

1 size



**Compostgreen Vario**

	mm	mm	mm	L	kg	pcs
IKST1250C	915	950	1610	1250,0	1kpl.	9

S411

1 size



**Compostgreen Vario**

	mm	mm	mm	L	kg	pcs
IKL1250C	915	950	1610	1250,0	1kpl.	9

S411

1 size



### Compogreen Woody

	mm	mm	mm		pcs	pcs
IKST280	596	600	815	280,0	1kpl.	30

**S433**

1 size



### Compogreen Woody

	mm	mm	mm		pcs	pcs
IKL280	596	600	815	280,0	1kpl.	32

**S433**

1 size



### Compogreen

	mm	mm	mm		pcs	pcs
IKST220C	610	610	753	220,0	1	32
IKST320C	700	700	800	320,0	1	27

**S411**

2 sizes



### Compogreen

	mm	mm	mm		pcs	pcs
IKL220C	610	610	753	220,0	1	39
IKL320C	700	700	800	320,0	1	34

**S411**

2 sizes



### Compogreen

	mm	mm	mm		pcs	pcs
IKST380C	719	719	826	380,0	1kpl.	30

**S411**

1 size



### Compogreen

	mm	mm	mm		pcs	pcs
IKL380C	719	719	826	380,0	1kpl.	32

**S411**

1 size



### Biocompo

	mm	mm	mm		pcs	pcs
IKBI500C	1018	1018	844	500,0	1kpl.	11
IKBI900C	1146	1146	1165	900,0	1kpl.	12



**S411**

2 sizes





### Module Compostegreen

mm	mm	mm		pcs		
IKSM800C	1350	719	826	800,0	1 kpl	16

S411

IKSM800C - black, IKSM800Z - green

1 size



### Module Compostegreen

mm	mm	mm		pcs		
IKLM800C	1350	719	826	800,0	1 kpl	16

S411

IKLM800C - black

1 size



### Module Compostegreen

mm	mm	mm		pcs		
IKSM1200C	1980	719	826	1200,0	1 kpl	12

S411

1 size



### Module Compostegreen

mm	mm	mm		pcs		
IKLM1200C	1980	719	826	1200,0	1 kpl	12

S411

IKLM1200C - black

1 size



### Module Compostegreen

mm	mm	mm		pcs		
IKSM1600C	2610	719	826	1600,0	1 kpl	8

S411

1 size



### Module Compostegreen

mm	mm	mm		pcs		
IKLM1600C	2610	719	826	1600,0	1 kpl	8

S411

1 size



### Evogreen

mm	mm	mm		pcs		pcs
IKEV420C	885	885	800	420,0	1 kpl	18
IKEV630C	900	910	1070	630,0	1 kpl	14
IKEV850C	900	910	1345	850,0	1 kpl	12

S411

3 sizes



### Evogreen

	mm	mm	mm	mm	pcs	pcs
IKEL420C	885	885	800	420,0	1kpl	18
IKEL630C	900	910	1070	630,0	1kpl	14
IKEL850C	900	910	1345	850,0	1kpl	12

**S411** IKEL420C, IKEL630C, IKEL850C- black — 3 sizes



### Compothermo

	mm	mm	mm	mm	pcs	pcs
IKB340	800	800	870	340,0	1kpl	14
IKB900	1010	1010	1280	900,0	1kpl	6

**G851** — 2 sizes

### Ecocompo

	mm	mm	mm	pcs	pcs
IKECO340	780	1040	340,0	1kpl.	7
					11

**S411** — 1 size



### Cage

	mm	mm	mm	pcs	pcs
IKOSZ60	450	466	60,0	10	120
IPKOSZ60	465	90	-	10	360

**G851** — 2 elements

### Onion

	mm	mm	mm	pcs	pcs
IKCE1	200	57	1,0	50	5500
IKCE2	230	64	1,2	50	3750
IKCE3	260	70	1,4	50	3000

**G642** — 3 sizes

### Onion II

	mm	mm	mm	pcs	pcs
IKCS215	215	54	50	6000	
IKCS265	265	56	50	3000	
IKCS315	315	56	50	2000	

**G851** — 3 sizes



### Bucket

	mm	mm	mm	pcs
KBU12L	310	240	12,0	1000
KBU16L	340	255	16,0	640
KBU20L	365	280	20,0	480

**S411** — 3 sizes



### Billy

	mm	mm	mm	pcs	pcs	pcs
IPBI340	338	256	15,0	10	-	900
IPBI420	423	318	30,0	10	-	440
IPBI480	482	362	45,0	5	-	300


**389U** **S411** — 3 sizes





**Birdyfeed Round**

	mm	mm	mm		pcs	pcs	pcs
IBFR	294	258	122	-	-	1	156




1 size




**Birdyfeed Square**

	mm	mm	mm		pcs	pcs	pcs
IBFS	248	182	174	-	-	1	162



1 size




**Birdyfeed Double**

	mm	mm	mm		pcs	pcs	pcs
IBFD	280	185	173	-	-	1	144



1 size

# Hanger index



## Agrohang

IWAG	230	210	10	70	4480
	S411				

Ratolla Case - ISR - all sizes  
 Ratolla Case P - ISR\_P - all sizes  
 Agro - IS - all sizes  
 Balcony Can - DTTCAN - IS6CAN - ISBT5CAN

1 size

## Akant

IWA	200	230	10	160	2560	~1,94 m
	S449 R624					

Ratolla Round W - DRLW - DRLW\_S - all sizes  
 Rato Round W - DRTW  
 Splofy Round W - DSPW - DSPW\_S - all sizes  
 Respana W - DREW - all sizes  
 Agro - DAGW - all sizes  
 Pro - DWP - all sizes  
 Terra - DWT - all sizes

1 size

## Hangplast

IWWS	200/250	190	20	2240
	S449 S433 R624 R222			

Ratolla Case - ISR - all sizes  
 Ratolla Case P - ISR\_P - all sizes  
 Respana Set - ISE\_P - all sizes  
 Respana Box - ISE - all sizes  
 Agro - IS - all sizes

1 size

## legend



PL symbol  
EN symbol  
DE symbol  
CZ symbol



PL długość  
EN length  
DE Länge  
CZ délka



PL szerokość (mm)  
EN width (mm)  
DE Breite (mm)  
CZ šířka (mm)



PL wysokość (mm)  
EN height (mm)  
DE Höhe (mm)  
CZ výška (mm)



PL średnica (mm)  
EN diameter (mm)  
DE Durchmesser (mm)  
CZ průměr (mm)



PL pojemność wkładu/doniczki  
EN capacity insert/flowerpot  
DE Fassungsvermögen des Einsatzes/Topfes  
CZ objem vkladu/květináče



PL pojemność  
EN capacity  
DE Kapazität  
CZ objem



PL dopuszczalne obciążenie  
EN maximum load  
DE maximale Belastung  
CZ přípustné zatížení



PL ilość sztuk w opakowaniu foliowym  
EN poly bag quantity  
DE Stückzahl pro PE-bautel  
CZ počet kusů v sáčku



PL ilość sztuk w opakowaniu kartonowym  
EN carton quantity  
DE Stückzahl pro Karton  
CZ počet kusů v kartonu



PL opakowanie nr 1  
EN packade nr 1  
DE Verpackungsart nr 1  
CZ balení č. 1



PL opakowanie nr 2  
EN packade nr 2  
DE Verpackungsart nr 2  
CZ balení č. 2



PL metr kwadratowy (m<sup>2</sup>)  
EN square meter (m<sup>2</sup>)  
DE Quadratmeter (m<sup>2</sup>)  
CZ metr čtvereční (m<sup>2</sup>)



PL ilość sztuk na europalecie  
EN number of pieces on an Europalette  
DE Stückzahl auf einer Eur Palette  
CZ počet kusů na europaletě



PL wysokość palety (mm)  
EN pallet height (mm)  
DE Höhe der Palette (mm)  
CZ výška palety (mm)



PL ilość sztuk na tirze  
EN truck quantity  
DE Stückzahl pro LKW  
CZ počet kusů v kamionu



PL system mechaniczny  
EN mechanical system  
DE Mechanisches System  
CZ mechanický systém



PL czas napełniania wodą  
EN time filling water  
DE Wasserfüllung Zeit  
CZ čas naplnění vodou

## Contact us



### Headquarter, Production & Warehouse

Prosperplast 1 Sp. z o. o.  
Wilkowska 968  
43-378 Rybarzowice  
Poland

tel. +48 33 817 70 03  
fax +48 33 817 60 81

biuro@prosperplast.pl  
office@prosperplast.pl  
www.prosperplast.pl



### Office

Prosperplast Deutschland GmbH  
Hopfenstraße 22a  
85283 Wolnzach  
Germany

tel. +49 8442 9628499  
fax +49 8442 9680853

kontakt@prosperplast.de  
www.prosperplast.de



### Office & Warehouse

Prosperplast s.r.o.  
CTPark Ostrava Hrušov  
Bohumínská 710/198  
711 00 Slezská Ostrava - Hrušov  
Czech Republic

tel. +420 553 034 443  
mob +420 605 499 544

info@prosperplast.cz  
www.prosperplast.cz



### Office

Prosperplast Kft.  
Tátra u. 5/a, alagsor 2.  
1136-H Budapest,  
Hungary

tel. +36 30 4095 120  
mob +36 30 4095 710

office@prosperplast.hu  
www.prosperplast.hu



# Prosperplast®

Prosperplast 1 Sp. z o.o.  
Wilkowska 968  
43-378 Rybarzowice  
Poland

Feel free to place your order via B2B